

OhioEPA
State of Ohio Environmental Protection Agency
Northeast District Office

US EPA RECORDS CENTER REGION 5



584448

2110 E. Aurora Road
Twinsburg, Ohio 44087-1969

TELE (330) 425-9171 FAX (330) 487-0769

Bob Taft, Governor
Christopher Jones, Director

September 25 , 2000

RE: APPLICABLE OR RELEVANT AND
APPROPRIATE REQUIREMENTS
(ARARS) FOR THE MAHONINGSIDE
POWER PLANT SITE, WARREN, OHIO

Mr. Mark Durno
U.S. EPA RS1
25089 Center Ridge Rd.
Westlake, OH 44145

Dear Mr. Durno:

The purpose of this correspondence is to provide U.S.EPA with Ohio ARARs pertinent to removal actions at the Mohoningside site. Due to the lack of information concerning this site, Ohio EPA used a broad scope in determining ARARs. Any additional information would allow the State to pare down the list and include only those ARARs that are directly related to the removal actions at the Site.

If at any time you have a question concerning this correspondence or the Mahoningside site, please feel free to contact me at (330) 963-1126.

Sincerely,

Mike Eberle
Project Coordinator / Engineer
Division of Emergency and Remedial Response

ME/kss

Enclosure

cc: Rod Beals, DERR/NEDO
Steve Love, DERR/NEDO



ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
1501:18-1	03, A	LIST OF ENDANGERED PLANT SPECIES	PLANT SPECIES CONSIDERED ENDANGERED IN OHIO	MAY APPLY AT REMEDIATION SITES WHERE CHEMICAL RELEASE THREATENS LISTED SPECIES. SHOULD ALSO BE CONSIDERED WHERE REMEDIAL ACTIVITIES MAY DISRUPT HABITATS.	
1501:21-11	03-05	PREDESIGN INVESTIGATIONS (DAMS, DIKES, LEVEES)	PRESENTS PREDESIGN REQUIREMENTS FOR DAMS, DIKES AND LEVEES. INCLUDES ON-SITE CONSTRUCTION MATERIAL DATA, SURVEYS AND HYDROLOGIC AND HYDRAULIC INVESTIGATIONS.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.	ACTION
1501:21-13	02-08	ADDITIONAL DESIGN REQUIREMENTS FOR DAMS	PRESENTS DESIGN REQUIREMENTS SPECIFIC TO DAMS. INCLUDES SUCH CRITERIA AS DESIGN STORM AND FLOOD, SPILLWAY DESIGN, FREEBOARD REQUIREMENTS, ETC.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER.	ACTION
1501:21-13	10-14	ADDITIONAL DESIGN REQUIREMENTS FOR DIKES AND LEVEES	PRESENTS DESIGN REQUIREMENTS SPECIFIC TO DIKES AND LEVEES. INCLUDES CRITERIA SUCH AS DESIGN STORM AND FLOOD AND FREEBOARD REQUIREMENTS.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DIKE OR LEVEE. CONSIDER FOR SITES WITHIN A FLOODPLAIN.	ACTION
1501:21-15	06	OPERATION, MAINTENANCE AND INSPECTIONS	PRESENTS THE MINIMUM INFORMATION REQUIRED IN A PLAN ADDRESSING THE OPERATION, MAINTENANCE AND INSPECTION OF DAMS, DIKES AND LEVEES.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.	ACTION
1501:21-21	03-04	DEFICIENCY AND O&M OF DAMS, DIKES AND LEVEES	DAMS, DIKES AND LEVEES MUST BE OPERATED SAFELY. REPAIRS OR OTHER REMEDIAL MEASURES SHALL BE PERFORMED ON DAMS, DIKES AND LEVEES AS NECESSARY TO SAFEGUARD LIFE, HEALTH OR PROPERTY.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.	ACTION
1501:21-5	02-06	DESIGN REQUIREMENTS FOR DAMS, DIKES AND LEVEES	SPECIFIES MINIMUM INFORMATION REQUIRED DURING DESIGN FOR OHIO DNR TO DETERMINE ADEQUACY OF PROPOSED DAM, DIKE OR LEVEE. INCLUDES DESIGN REPORTS, PLANS AND SPECIFICATIONS.	PERTAINS TO REMEDIES THAT CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.	ACTION

RECEIVED

SEP 22 2000

OHIO EPA NEDO

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
1501:31-23-	01, A-B	LIST OF ENDANGERED ANIMAL SPECIES	LIST OF OHIO ANIMAL SPECIES CONSIDERED ENDANGERED.	MAY APPLY TO REMEDIATION SITES WHERE LISTED SPECIES ARE THREATENED BY CHEMICAL RELEASES. MAY ALSO APPLY AT SITES WHERE REMEDIAL ACTIVITIES COULD DISTURB EXISTING HABITATS.	
3745-1-03		ANALYTICAL AND COLLECTION PROCEDURES	SPECIFIES ANALYTICAL METHODS AND COLLECTION PROCEDURES FOR SURFACE WATER DISCHARGES.	PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIATION AND ANY ON-SITE SURFACE WATERS AFFECTED BY SITE CONDITIONS.	ACTION
3745-1-04	A,,B,C,D,E	THE "FIVE FREEDOMS" FOR SURFACE WATER	ALL SURFACE WATERS OF THE STATE SHALL BE FREE FROM: A) OBJECTIONAL SUSPENDED SOLIDS. B) FLOATING DEBRIS, OIL AND SCUM. C) MATERIALS THAT CREATE A NUISANCE. D) TOXIC, HARMFUL OR LETHAL SUBSTANCES. E) NUTRIENTS THAT CREATE NUISANCE GROWTH	PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIATION AND ANY ON-SITE SURFACE WATERS AFFECTED BY SITE CONDITIONS.	CHEMICAL
3745-1-05	A-C	ANTIDEGRADATION POLICY FOR SURFACE WATER	PREVENTS DEGRADATION OF SURFACE WATER QUALITY BELOW DESIGNATED USE OR EXISTING WATER QUALITY. EXISTING INSTREAM USES SHALL BE MAINTAINED AND PROTECTED. THE MOST STRINGENT CONTROLS FOR TREATMENT SHALL BE REQUIRED BY THE DIRECTOR TO BE EMPLOYED FOR ALL NEW AND EXISTING POINT SOURCE DISCHARGES. PREVENTS ANY DEGRADATION OF "STATE RESOURCE WATERS".	REQUIRES THAT BEST AVAILABLE TECHNOLOGY (BAT) BE USED TO TREAT SURFACE WATER DISCHARGES. DWQPA USES THIS RULE TO SET STANDARDS WHEN EXISTING WATER QUALITY IS BETTER THAN THE DESIGNATED USE.	CHEMICAL
3745-1-06	A,B	MIXING ZONES FOR SURFACE WATER	(A) PRESENTS THE CRITERIA FOR ESTABLISHING NON-THERMAL MIXING ZONES FOR POINT SOURCE DISCHARGES (B) PRESENTS THE CRITERIA FOR ESTABLISHING THERMAL MIXING ZONES FOR POINT SOURCE DISCHARGES	APPLIED AS A TERM OF DISCHARGE PERMIT TO INSTALL (PTI). WOULD PERTAIN TO AN ALTERNATIVE WHICH RESULTED IN A POINT SOURCE DISCHARGE.	CHEMICAL
3745-1-07	C	WATER QUALITY CRITERIA	ESTABLISHES WATER QUALITY CRITERIA FOR POLLUTANTS WHICH DO NOT HAVE SPECIFIC NUMERICAL OR NARRATIVE CRITERIA IDENTIFIED IN TABLES 7-1 THROUGH 7-15 OF THIS RULE.	PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIAL ACTION AND ANY SURFACE WATERS AFFECTED BY SITE CONDITIONS.	CHEMICAL ACTION
3745-1-25		WATER USE DES FOR MAHONING RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE MAHONING RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OR IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DWQPA TO ESTABLISH WASTE LOAD ALLOCATIONS.	ACTION LOCATION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-1-32		WATER USE DES FOR OHIO RIVER	ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE OHIO RIVER BASIN.	PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DWQPA TO ESTABLISH WASTE LOAD ALLOCATIONS.	ACTION LOCATION
3745-1-34	A-D	WATER QUALITY CRITERIA FOR THE OHIO RIVER DRAINAGE BASI	APPLIES TO DISCHARGES TO STREAMS WITHIN THE OHIO RIVER BASIN, USED BY DSW TO DETERMINE DISCHARGE LIMITS	CONSIDER FOR SITES WITH DISCHARGES TO OHIO RIVER BASIN	
3745-1-35	A-G	SITE-SPECIFIC MODIFICATIONS TO CRITERIA AND VALUES	DESCRIBES STANDARDS BY WHICH AGENCY MAY MAKE SITE SPECIFIC ADJUSTMENTS TO DETERMINE WATER QUALITY STANDARDS AND DISCHARGE LIMITS. CONSIDERS LOCAL CONDITIONS SUCH AS WATER CHEMISTRY OR SENSITIVE SPECIES THAT MAY NECESSITATE MODIFICATIONS TO DISCHARGE STANDARDS.	CONSIDER FOR ANY SITE THAT WILL DISCHARGE TO SURFACE WATERS OF OHIO	
3745-1-36	A-D	METHODOLOGIES FOR DEVELOPMENT OF AQUATIC LIFE CRITERIA	DESCRIBES METHODOLOGIES THAT DSW WOULD APPLY TO EVALUATE TOXIC EFFECTS OF POLLUTION ON AQUATIC LIFE IN STREAMS IN THE LAKE ERIE BASIN. WILL BE USED IN DETERMINATION OF DISCHARGE LIMITS.	CONSIDER FOR SITES THAT WILL HAVE DISCHARGES TO STREAMS IN LAKE ERIE BASIN.	
3745-1-37	A-G	METHODOLOGIES FOR DERIVING BIOACCUMULATION FACTORS	USED BY DSW IN PREDICTING HUMAN AND AQUATIC HEALTH EFFECTS OF POLLUTANTS. IMPACTS DISCHARGE LIMITS/	CONSIDER FOR SITES WITH SURFACE WATER DISCHARGES.	
3745-1-50	A-NN	WETLAND DEFINITIONS	DEFINES TERMS USED IN WETLANDS RELATED REGULATIONS.	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.	
3745-1-51	A-C	WETLAND NARRATIVE CRITERIA	LISTS CRITERIA TO BE PROTECTED IN WETLAND ENVIRONMENTS	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.	

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-1-52		NUMERIC CHEMICAL CRITERIA FOR WASTE WATER DISCHARGE	REQUIRES THAT DISCHARGE CRITERIA APPLY AT "END OF PIPE"	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.	
3745-1-53		WETLAND USE DESIGNATION	ALL SURFACE WATERS OF THE STATE WHICH MEET THE DEFINITION OF A WETLAND IN RULE 3745-1-02 ARE ASSIGNED THE WETLAND DESIGNATED USE.	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.	
3745-1-54	A-D	WETLAND ANTIDEGRADATION	REQUIRES THAT ALL WETLANDS BE ASSIGNED A CATEGORY CLASSIFICATION AND GIVES CRITERIA FOR CLASSIFICATION. DISCUSSES REQUIREMENTS FOR AVOIDANCE AND MINIMIZATION OF WETLANDS DAMAGE AS WELL AS COMPENSATORY MITIGATION.	CONSIDER FOR SITES THAT HAVE IMPACTED WETLANDS OR WHERE REMEDIAL ACTIVITIES WOULD IMPACT WETLANDS.	
3745-15-07	A	AIR POLLUTION NUISANCES PROHIBITED	DEFINES AIR POLLUTION NUISANCE AS AS THE EMISSION OR ESCAPE INTO THE AIR FROM ANY SOURCE(S) OF SMOKE, ASHES, DUST, DIRT, GRIME, ACIDS, FUMES, GASES, VAPORS, ODORS AND COMBINATIONS OF THE ABOVE THAT ENDANGER HEALTH, SAFETY OR WELFARE OF THE PUBLIC OR CAUSE PERSONAL INJURY OR PROPERTY DAMAGE. SUCH NUISANCES ARE PROHIBITED.	PERTAINS TO ANY SITE WHICH CAUSES, OR MAY REASONABLY CAUSE, AIR POLLUTION NUISANCES. CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, METHANE PRODUCTION, CLEARING AND GRUBBING, WATER TREATMENT, INCINERATION AND WASTE FUEL RECOVERY.	ACTION
3745-17-02	A,B,C	PARTICULATE AMBIENT AIR QUALITY STANDARDS	ESTABLISHES SPECIFIC STANDARDS FOR TOTAL SUSPENDED PARTICULATES.	PERTAINS TO ANY SITE THAT MAY EMIT MEASURABLE QUANTITIES OF PARTICULATE MATTER (BOTH STACK AND FUGITIVE). CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, CLEARING AND GRUBBING, INCINERATION AND WASTE FUEL RECOVERY.	CHEMICAL
3745-17-05		PARTICULATE NON-DEGRADATION POLICY	DEGRADATION OF AIR QUALITY IN ANY AREA WHERE AIR QUALITY IS BETTER THAN REQUIRED BY 3745-17-02 IS PROHIBITED	PERTAINS TO SITES IN CERTAIN LOCATIONS THAT MAY EMIT OR ALLOW THE ESCAPE OF PARTICULATES (BOTH STACK AND FUGITIVE). CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, CLEARING AND GRUBBING, INCINERATION.	CHEMICAL LOCATION
3745-17-08	A1,A2,B,D	EMISSION RESTRICTIONS FOR FUGITIVE DUST	ALL EMISSIONS OF FUGITIVE DUST SHALL BE CONTROLLED.	PERTAINS TO SITES WHICH MAY HAVE FUGITIVE EMISSIONS (NON-STACK) OF DUST. CONSIDER FOR SITES THAT WILL UNDERGO GRADING, LOADING OPERATIONS, DEMOLITION, CLEARING AND GRUBBING AND CONSTRUCTION.	ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-19-04	A,B,C,D	OPEN BURNING STANDARDS IN UNRESTRICTED AREAS	OPEN BURNING WITHOUT PRIOR AUTHORIZATION FROM OHIO EPA IS PROHIBITED.	PERTAINS TO SITES WITHIN AN UNRESTRICTED AREA (OUTSIDE THE BOUNDARY OF A MUNICIPALITY AND A ZONE EXTENDING BEYOND SUCH MUNICIPALITY).	LOCATION ACTION
3745-2-04	A-G	DEVELOPMENT OF WATER QUALITY BASED EFFLUENT LIMITATIONS	USED BY DSW TO DETERMINE WASTE LOAD ALLOCATIONS FOR DISCHARGES TO SURFACE WATER. IMPACTS DISCHARGE LIMITS.	CONSIDER FOR ANY SITE WITH DISCHARGE TO SURFACE WATERS	
3745-2-05	A,B	CALCULATING WASTELOAD ALLOCATIONS	PROCESS FOR CALCULATING WASTELOAD ALLOCATIONS FOR DISCHARGES.	CONSIDER FOR SITES WITH SURFACE WATER DISCHARGES	
3745-2-06	A-D	APPLICATION OF PRELIMINARY EFFLUENT LIMITATIONS	METHODOLOGY FOR CALCULATING DISCHARGE LIMITATIONS BASED ON CHEMICAL AND BIOLOGICAL FACTORS.		
3745-2-07	A,B	ADDITIVE EFFECTS OF POLLUTANTS	DESCRIBES PROCESS FOR CALCULATING COMBINED EFFECTS OF MULTIPLE WATER CONTAMINANTS. USED TO CALCULATE DISCHARGE LIMITS.	CONSIDER FOR SITES WITH DISCHARGES TO SURFACE WATERS.	
3745-2-08	A-L	MIXING ZONE DEMONSTRATION AND SIZING REQUIREMENTS	METHODS FOR DETERMINING EFFECTS OF MIXING ZONES. USED IN CALCULATING DISCHARGE LIMITS.	CONSIDER FOR SITES WITH SURFACE WATER DISCHARGES.	
3745-2-09	A-F	WHOLE EFFLUENT TOXICITY AND WATER QUALITY BASED LIMITS	METHODS FOR CALCULATING TOXICITY BASED CONSIDERATIONS FOR DISCHARGE LIMITS.	CONSIDER FOR SITES WITH SURFACE WATER DISCHARGES.	

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-2-10	A-G	WASTELOAD ALLOCATION FOR AMMONIA NITROGEN TOXICITY	METHOD FOR CALCULATING DISCHARGES OF AMMONIA-NITROGEN.	CONSIDER FOR SITES WITH SURFACE WATER DISCHARGES,	
3745-2-11	A-F	DISSOLVED OXYGEN MODELING	METHODS FOR CALCULATING EFFECTS OF DISCHARGE ON DISSOLVED OXYGEN.	CONSIDER FOR SITES WITH SURFACE WATER DISCHARGES	
3745-2-12	A-O	TOTAL MAXIMUM DAILY LOADS	FURTHER METHODOLOGY FOR CALCULATING DISCHARGES. INCLUDES EFFECTS OF NONPOINT SOURCES.	CONSIDER FOR SITES WITH SURFACE WATE DISCHARGES.	
3745-20-06	A,B	STANDARD FOR ACTIVE ASBESTOS WASTE DISPOSAL SITES	ESTABLISHES OPERATING STANDARDS FOR AN ACTIVE ASBESTOS WASTE DISPOSAL SITES.	PERTAINS TO SITES WHERE ASBESTOS HAS COME TO BE LOCATED AND MUST BE CONSOLIDATED ON-SITE. CONSIDER FOR LANDFILLS WHERE WASTES WILL BE EXCAVATED AND RE-DEPOSITED ON-SITE.	CHEMICAL ACTION
3745-20-07	A,B,C	STANDARD FOR INACTIVE ASBESTOS WASTE DISPOSAL SITES	ESTABLISHES EMISSIONS AND MAINTENANCE STANDARDS FOR INACTIVE ASBESTOS WASTE DISPOSAL SITES.	PERTAINS TO SITES WHERE ASBESTOS HAS COME TO BE LOCATED. CONSIDER FOR LANDFILLS WITH INADEQUATE COVER OR WHERE WASTES WILL CONSOLIDATED.	CHEMICAL LOCATION
3745-21-02	A,B	AMBIENT AIR QUALITY STANDARDS AND GUIDELINES	ESTABLISHES SPECIFIC AIR QUALITY STANDARDS FOR CARBON MONOXIDE, OZONE AND AND NON-METHANE HYDROCARBONS	PERTAINS TO ANY SITE WHICH WILL EMIT CARBON OXIDES, OZONE OR NON-METHANE HYDROCARBONS. CONSIDER FOR SITES THAT WILL UNDERGO WATER TREATMENT, INCINERATION AND FUEL BURNING (WASTE FUEL RECOVERY)	CHEMICAL ACTION
3745-21-03	B,C	METHODS OF AMBIENT AIR QUALITY MEASUREMENT	SPECIFIES MEASUREMENT METHODS TO DETERMINE AMBIENT AIR QUALITY FOR THE FOLLOWING CONSTITUENTS: CARBON MONOXIDE, OZONE AND NON-METHANE HYDROCARBONS.	PERTAINS TO ANY SITE WHICH WILL EMIT CARBON MONOXIDE, OZONE OR NON-METHANE HYDROCARBONS. CONSIDER FOR FOR SITES WHERE TREATMENT SYSTEMS WILL RESULT IN AIR EMISSIONS.	CHEMICAL ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-21-07	A,B,G,I,J	ORGANIC MATERIALS EMISSION CONTROL: STATIONARY SOURCES	REQUIRES CONTROL OF EMISSIONS OF ORGANIC MATERIALS FROM STATIONARY SOURCES. REQUIRES BEST AVAILABLE TECHNOLOGY.	PERTAINS TO ANY SITE WHICH IS EMITTING OR WILL EMIT ORGANIC MATERIAL. CONSIDER FOR SITES THAT WILL UNDERGO WATER TREATMENT (AIR STRIPPING), INCINERATION AND FUEL BURNING (WASTE FUEL RECOVERY).	ACTION CHEMICAL
3745-21-08	A-E	CARBON MONOXIDE EMISSION CONTROL: STATIONARY SOURCES	REQUIRES ANY STATIONARY SOURCE OF CARBON MONOXIDE TO MINIMIZE EMISSIONS BY THE USE OF BEST AVAILABLE CONTROL TECHNOLOGIES AND OPERATING PRACTICES IN ACCORDANCE WITH BEST CURRENT TECHNOLOGY.	PERTAINS TO ANY SITE WHICH IS EMITTING OR WILL EMIT CARBON MONOXIDE. CONSIDER FOR SITES THAT WILL UNDERGO WATER TREATMENT, INCINERATION AND FUEL BURNING (WASTE FUEL RECOVERY).	ACTION CHEMICAL
3745-27-03	B	EXEMPTIONS TO SOLID WASTE REGULATIONS	DEFINES EXEMPTIONS TO SOLID WASTE REGULATIONS AND ESTABLISHES LIMITATIONS ON TEMPORARY STORAGE OF PUTRESCIBLE WASTE OR ANY SOLID WASTE WHICH CAUSES A NUISANCE OR HEALTH HAZARD. STORAGE OF PUTRESCIBLE WASTE BEYOND SEVEN DAYS IS CONSIDERED OPEN DUMPING.	PERTAINS TO ANY SITE AT WHICH SOLID WASTE WILL BE MANAGED. CONSIDER ESPECIALLY FOR OLD LANDFILLS WHERE SOLID WASTE MAY BE EXCAVATED AND/OR CONSOLIDATED.	ACTION
3745-27-05	A,B,C	AUTHORIZED, LIMITED & PROHIBITED SOLID WASTE DISPOSAL	ESTABLISHES ALLOWABLE METHODS OF SOLID WASTE DISPOSAL; SANITARY LANDFILL, INCINERATION, COMPOSTING. PROHIBITS MANAGEMENT BY OPEN BURNING AND OPEN DUMPING.	PERTAINS TO ANY SITE AT WHICH SOLID WASTES WILL BE MANAGED. PROHIBITS MANAGEMENT BY OPEN BURNING AND OPEN DUMPING.	ACTION
3745-27-06	B,C	REQUIRED TECHNICAL INFORMATION FOR SANITARY LANDFILLS	SPECIFIES THE MINIMUM TECHNICAL INFORMATION REQUIRED OF A SOLID WASTE PERMIT TO INSTALL. INCLUDED ARE A HYDROGEOLOGIC INVESTIGATION REPORT, LEACHATE PRODUCTION AND MIGRATION INFORMATION, SURFACE WATER DISCHARGE INFORMATION, DESIGN CALCULATIONS, PLAN DRAWINGS.	THIS PARAGRAPH PRESENTS SUBSTANTIVE REQUIREMENTS OF A SOLID WASTE PERMIT TO INSTALL. PERTAINS TO ANY NEW SOLID WASTE DISPOSAL FACILITY CREATED ON-SITE AND EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS. ALSO PERTAINS TO EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED PER SOLID WASTE RULES. THIS RULE ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-27-07	A,B	LOCATION CRITERIA FOR SOLID WASTE DISPOSAL PERMIT	SPECIFIES LOCATIONS IN WHICH SOLID WASTE LANDFILLS ARE NOT TO BE SITED. INCLUDES FLOODPLAINS, SAND OR GRAVEL PITS, LIMESTONE OR SANDSTONE QUARRIES, AREAS ABOVE SOLE SOURCE AQUIFERS, WETLANDS, ETC.	THIS RULE PREVENTS THE ESTABLISHMENT OF NEW SOLID WASTE LANDFILLS AND EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS IN CERTAIN UNFAVORABLE LOCATIONS. ALSO MAY PROHIBIT THE LEAVING OF WASTE IN-PLACE IN CERTAIN UNFAVORABLE LOCATIONS.	LOCATION
3745-27-07	D,F,G,H	ADDITIONAL CRITERIA FOR SANITARY LANDFILL APPROVAL	ADDITIONAL SITING REQUIREMENTS WITH RESPECT TO GEOLOGY, WATER SUPPLIES, OCCUPIED PROPERTIES, PARKLANDS AND MINE SUBSIDENCE AREAS. GOVERNS EXPANSION OF EXISTING SITES	PERTAINS TO NEW SANITARY LANDFILLS FOR SOLID WASTE DISPOSAL AND EXPANSIONS OF EXISTING FACILITIES	LOCATION ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-27-08	C,D-H	CONSTRUCTION SPECIFICATIONS FOR SANITARY LANDFILLS	SPECIFIES THE MINIMUM REQUIREMENTS FOR THE SOIL/CLAY LAYERS, GRANULAR DRAINAGE LAYER, GEOSYNTHETICS, LEACHATE MANAGEMENT SYSTEM, GAS MONITORING SYSTEM, ETC. ALSO ESTABLISHES CONSTRUCTION REQUIREMENTS FOR FACILITIES TO BE LOCATED IN GEOLOGICALLY UNFAVORABLE AREAS.	PERTAINS TO ANY NEW SOLID WASTE DISPOSAL FACILITY CREATED ON-SITE AND ANY EXPANSIONS TO EXISTING SOLID WASTE LANDFILLS. PORTIONS ALSO PERTAIN TO AREAS OF CONTAMINATION THAT ARE CAPPED PER SOLID WASTE RULES. MAY SERVE AS SITING CRITERIA.	ACTION
3745-27-10	B,C,D,E,F	SANITARY LANDFILL - GW MONITORING AND CORRECTION	GROUND WATER MONITORING PROGRAM MUST BE ESTABLISHED FOR ALL SANITARY LANDFILL FACILITIES. THE SYSTEM MUST CONSIST OF A SUFFICIENT NUMBER OF WELLS THAT ARE LOCATED SO THAT SAMPLES INDICATE BOTH UPGRADIENT (BACKGROUND) AND DOWNGRADIENT WATER SAMPLES. THE SYSTEM MUST BE DESIGNED PER THE MINIMUM REQUIREMENTS SPECIFIED IN THIS RULE. THE SAMPLING AND ANALYSIS PROCEDURES USED MUST COMPLY WITH THIS RULE. SPECIFIES PROCEDURES FOR ASSESSMENT AND CORRECTION OF CONTAMINATION.	PERTAINS TO ANY NEW SOLID WASTE FACILITY AND ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE. ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED IN-PLACE PER THE SOLID WASTE RULES.	ACTION
3745-27-11	B,G	FINAL CLOSURE OF SANITARY LANDFILL FACILITIES	REQUIRES CLOSURE OF A LANDFILL IN A MANNER WHICH MINIMIZES THE NEED FOR POST-CLOSURE MAINTENANCE AND MINIMIZES POST-CLOSURE FORMATION AND RELEASE OF LEACHATE AND EXPLOSIVE GASES TO AIR, SOIL GROUND WATER OR SURFACE WATER. SPECIFIES ACCEPTABLE CAP DESIGN; SOIL BARRIER LAYER, GRANULAR DRAINAGE LAYER, SOIL AND VEGETATIVE LAYER. PROVIDES FOR USE OF COMPARABLE MATERIALS TO THOSE SPECIFIED WITH APPROVAL OF DIRECTOR.	SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY NEW SOLID WASTE LANDFILLS CREATED ON-SITE, ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE AND ANY EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED IN-PLACE PER THE SOLID WASTE RULES.	ACTION
3745-27-12	A-Q	SANITARY LANDFILL - EXPLOSIVE GAS MONITORING	ESTABLISHES WHEN AN EXPLOSIVE GAS MONITORING PLAN IS REQUIRED FOR SOLID WASTE LANDFILLS. SPECIFIES THE MINIMUM INFORMATION REQUIRED IN SUCH A PLAN, INCLUDING DETAILED ENGINEERING PLANS, SPECIFICATIONS, INFORMATION ON GAS GENERATION POTENTIAL, SAMPLING AND MONITORING PROCEDURES, ETC. MANDATES WHEN REPAIRS MUST BE MADE TO AN EXPLOSIVE GAS MONITORING SYSTEM. THIS RULE ONLY APPLIES TO LANDFILLS WHICH RECEIVED "PUTRESCIBLE" SOLID WASTES. REQUIRES CORRECTIVE ACTIONS WHEN EXPLOSIVE GAS HAZARDS ARE DETECTED. EMPOWERS DIRECTOR TO ORDER ACTIONS TO ABATE EXPLOSIVE GAS HAZARDS.	PERTAINS TO ANY SITE WHICH HAS HAD OR WILL HAVE PUTRESCIBLE SOLID WASTES PLACED ON-SITE AND WHICH HAS A RESIDENCE OR OTHER OCCUPIED STRUCTURE LOCATED WITHIN 1000 FEET OF THE EMPLACED SOLID WASTE.	ACTION LOCATION
3745-27-12	I, J	EXPLOSIVE GAS MONITORING FOR SANITARY LANDFILLS	IDENTIFIES PARAMETERS AND SCHEDULE FOR EXPLOSIVE GAS MONITORING	PERTAINS TO ANY DISPOSAL SITE WHERE EXPLOSIVE GAS GENERATION AND MIGRATION MAY BE A THREAT.	ACTION CHEMICAL

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-27-13	C	DISTURBANCES WHERE HAZ OR SOLID WASTE FAC WAS OPERATED	REQUIRES THAT A DETAILED PLAN BE PROVIDED TO DESCRIBE HOW ANY PROPOSED FILLING, GRADING, EXCAVATING, BUILDING, DRILLING OR MINING ON LAND WHERE A HAZARDOUS WASTE FACILITY OR SOLID WASTE FACILITY WAS OPERATED WILL BE ACCOMPLISHED. THIS INFORMATION MUST DEMONSTRATE THAT THE PROPOSED ACTIVITIES WILL NOT CREATE A NUISANCE OR ADVERSELY AFFECT THE PUBLIC HEALTH OR THE ENVIRONMENT. SPECIAL TERMS TO CONDUCT SUCH ACTIVITIES MAY BE IMPOSED BY THE DIRECTOR TO PROTECT THE PUBLIC AND THE ENVIRONMENT.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HAS BEEN MANAGED, EITHER INTENTIONALLY OR OTHERWISE. DOES NOT PERTAIN TO AREAS THAT HAVE HAD ONE-TIME LEAKS OR SPILLS.	ACTION LOCATION
3745-27-14	A	POST-CLOSURE CARE OF SANITARY LANDFILL FACILITIES	SPECIFIES THE REQUIRED POST-CLOSURE CARE FOR SOLID WASTE FACILITIES. INCLUDES CONTINUING OPERATION OF LEACHATE AND SURFACE WATER MANAGEMENT SYSTEMS, MAINTENANCE OF THE CAP SYSTEM AND GROUND WATER MONITORING.	SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY NEWLY CREATED SOLID WASTE LANDFILLS ON-SITE, ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE AND ANY EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED PER THE SOLID WASTE RULES.	ACTION
3745-27-19	E	SANITARY LANDFILL GENERAL OPERATIONAL REQUIREMENTS	SPECIFIES GENERAL OPERATIONAL REQUIREMENTS FOR SOLID WASTE LANDFILLS. INCLUDES REQUIREMENTS FOR: PREPARATIONS FOR OPERATING DURING INCLEMENT WEATHER; MANAGEMENT TO MINIMIZE NOISE, DUST AND ODORS; VECTOR CONTROL; ADEQUATE FIRE CONTROL EQUIPMENT; NOT CAUSING A NUISANCE OR HEALTH HAZARD OR WATER POLLUTION; MINIMIZATION OF DISTURBED AREA; CHEMICAL COMPATABILITY TESTING, IF NECESSARY. SPECIFIES THAT BULK LIQUIDS, HAZARDOUS WASTE, PCBs AND INFECTIOUS WASTE MAY NOT BE ACCEPTED FOR DISPOSAL.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.	ACTION
3745-27-19	D(2)	SANITARY LANDFILL OPERATIONS - CONSTRUCTION COMPLIANCE	REQUIRES THE OWNER/OPERATOR TO IMPLEMENT MEASURES TO ATTAIN COMPLIANCE WITH REQUIREMENTS OF THESE RULES IN THE EVENT THAT TESTING INDICATES THAT A COMPONENT OR PORTION OF THE LANDFILL HAVE NOT BEEN CONSTRUCTED IN ACCORDANCE WITH THOSE RULES.	PERTAINS TO "NEW" SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. ALSO PERTAINS TO CONSTRUCTION OF FINAL COVER SYSTEMS.	ACTION
3745-27-19	F, G	SANITARY LANDFILL OPER. - DAILY AND INTERMEDIATE COVER	INCLUDES REQUIREMENTS FOR DAILY COVER AND INTERMEDIATE COVER FOR TEMPORARILY INACTIVE AREAS.	PERTAINS TO "NEW" SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING FACILITIES TO BE EXPANDED DURING REMEDIATION	ACTION
3745-27-19	H	SANITARY LANDFILL OPERATIONS - FINAL COVER	INCLUDES REQUIREMENTS FOR THE FINAL CAP SYSTEM FOR AREAS AT FINAL ELEVATIONS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-27-19	L	SANITARY LANDFILL OPERATIONS - PCBs AND HAZARDOUS WASTE	REQUIRES OWNERS/OPERATORS TO CONDUCT A PROGRAM TO DETECT PCB WASTE AND HAZARDOUS WASTE PRIOR TO DISPOSAL. UPON DETECTION OR SUSPECTED DETECTION OF SUCH WASTES, REQUIRES THOSE WASTES TO NOT BE PLACED AT THE WORKING FACE OF THE LANDFILL AND TO MANAGE THOSE WASTES IN ACCORDANCE WITH APPLICABLE LAWS AND REGULATIONS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION.	ACTION
3745-27-19	J	SANITARY LANDFILL OPERATIONS - SURFACE WATER MGMNT.	SURFACE WATER MUST BE DIVERTED FROM AREAS WHERE SOLID WASTE IS BEING, OR HAS BEEN, DEPOSITED. ALSO REQUIRES RUN-ON AND RUN-OFF TO BE CONTROLLED TO MINIMIZE INFILTRATION THROUGH THE COVER MATERIALS AND TO MINIMIZE EROSION OF THE CAP SYSTEM.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.	ACTION
3745-27-19	K	SANITARY LANDFILL OPERATIONS - LEACHATE MANAGEMENT	REQUIRES REPAIR OF LEACHATE OUTBREAKS; COLLECTION AND TREATMENT OF LEACHATE ON THE SURFACE OF THE LANDFILL; AND ACTIONS TO MINIMIZE, CONTROL OR ELIMINATE CONDITIONS CAUSING LEACHATE OUTBREAKS.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES.	ACTION
3745-27-20		SANITARY LANDFILLS - PROHIBITIONS AND CLOSURE	SPECIFIES CERTAIN OPERATIONAL AND LOCATION STANDARDS FOR LANDFILLS ACCEPTING WASTE AFTER JUNE 1, 1994. ALSO REQUIRES CLOSURE OF EXISTING UNITS WHICH DO NOT MEET THOSE STANDARDS BY OCTOBER 6, 1996.	PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS	ACTION
3745-27-20	A,B,C	PROHIBITIONS AND CLOSURE	RULES FOR NEW AND EXISITING SITES, LOCATION RULES WITH RESPECT OT FLOOD PLAINS, AIRPORTS, GEOLOGIC FAULTS PLUS LINER /LEACHATE REQUIREMENTS.	PERTAINS TO SOLID WASTE LANDFILLS OPENED AFTER 06/01/94 OR EXISTING FACILITIES RECEIVING WASTE AFTER 06/01/94.	LOCATION ACTION
3745-3-04	A-D	PROHIBITED DISCHARGES	PLACES RESTRICTIONS ON DISCHARGES TO POTW'S THAT MAY HARM TREATMENT FUNCTIONS OR PASS THROUGH TO RECEIVING STREAM.	CONSIDER FOR SITES WITH DISCHARGES TO POTW.	
3745-3-05	A-C	NOTIFICATION OF POTENTIAL PROBLEMS INCLUDING SLUG LOAD	REQUIRES INDUSTRIAL USERS TO NOTIFY POTW OF DISCHARGES THAT MAY ADVERSELY AFFECT TREATMENT OPERATIONS, INCLUDING SLUG LOADS	CONSDIER FOR SITES WITH DISCHARGES TO POTW.	

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-30-14	D-DD	OPERATION OF FACILITIES	REQUIRES CONTROL OF ODORS, NOISE, ACCESS, DUST, AIR EMISSIONS. INCLUDES REQUIREMENTS FOR CAPPING, COVERING, SURFACE WATER CONTROL, LEACHATE CONTROL, FIRE PREVENTION, NUISANCE AVOIDANCE.	PERTAINS TO SITES WHERE RSW IS LANDFILLED.	
3745-31-03	A (2)	PERMIT TO INSTALL, EXEMPTIONS	EXEMPTS SUPERFUND (CERCLA) SITES FROM AIR PERMITTING REQUIREMENTS. SUCH SITES MUST STILL MET SUBSTANTIVE REQUIREMENTS OF PERMIT AND AIR EMISSION LIMITS.	APPLIES TO SUPERFUND SITES WHERE ALL ACTIVITIES ARE CARRIED OUT ON-SITE.	
3745-31-05		WATER/AIR PERMIT CRITERIA FOR DECISION BY THE DIRECTOR	A PERMIT TO INSTALL (PTI) OR PLANS MUST DEMONSTRATE BEST AVAILABLE TECHNOLOGY (BAT) AND SHALL NOT INTERFER WITH OR PREVENT THE ATTAINMENT OR MAINTENANCE OF APPLICABLE AMBIENT AIR QUALITY STANDARDS.	PERTAINS TO ANY SITE THAT WILL DISCHARGE TO ON-SITE SURFACE WATER OR WILL EMIT CONTAMINANTS INTO THE AIR.	ACTION
3745-32-05		WATER QUALITY CRITERIA FOR DECISION BY THE DIRECTOR	SPECIFIES SUBSTANTIVE CRITERIA FOR SECTION 401 WATER QUALITY CRITERIA FOR DREDGING, FILLING, OBSTRUCTION OR ALTERING WATERS OF THE STATE.	PERTAINS TO ANY SITE THAT HAS OR WILL AFFECT WATERS OF THE STATE.	ACTION
3745-34-06		PROHIBITION OF UNAUTHORIZED INJECTION	UNDERGROUND INJECTION IS PROHIBITED WITHOUT AUTHORIZATION FROM THE DIRECTOR.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.	ACTION
3745-34-07		NO MOVEMENT OF FLUID INTO UNDERGROUND DRINKING WATER	THE UNDERGROUND INJECTION OF FLUID CONTAINING ANY CONTAMINANT INTO AN UNDERGROUND SOURCE OF DRINKING WATER IS PROHIBITED IF THE PRESENCE OF THAT CONTAMINANT MAY CAUSE A VIOLATION OF THE PRIMARY DRINKING WATER STANDARDS OR OTHER WISE ADVERSELY AFFECT THE HEALTH OF PERSONS.	PERTAINS TO SITES AT WHICH MATERIALS ARE TO BE INJECTED UNDERGROUND. CONSIDER FOR TECHNOLOGIES SUCH AS BIOREMEDIATION AND SOIL FLUSHING.	
3745-50-221	A,B	PETITIONS TO EXCLUDE A LISTED WASTE AT A FACILITY	ALLOWS FOR PETITIONS TO EXCLUDE HAZARDOUS WASTES FROM A PARTICULAR FACILITY FROM THE LISTS IN RULES 3745-51-30 TO 3745-51-31 OF THE OAC. ALSO STATES THAT OHIO EPA WILL RECOGNIZE USEPA'S DECISION TO GRANT OR DENY SUCH PETITIONS ON THE FEDERAL LEVEL.	PERTAINS TO ANY SITE WHICH HAS WASTES THAT WILL BE DELISTED BY USEPA. SHOULD OHIO LIST WASTES NOT ADDRESSED BY USEPA, THIS RULE WOULD ALLOW OHIO EPA THE OPPORTUNITY TO DELIST THESE WASTES.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-50-44	A	PERMIT INFO REQUIRED FOR ALL HAZ WASTE FACILITIES	ESTABLISHES THE SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE FACILITY COMPLIANCE. INCLUDES INFORMATION SUCH AS FACILITY DESCRIPTION, WASTE CHARACTERISTICS, EQUIPMENT DESCRIPTIONS, CONTINGENCY PLAN, FACILITY LOCATION, TOPOGRAPHIC MAP, ETC.	PERTAINS TO ANY SITE WHICH WILL HAVE TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTE OCCURRING ON-SITE OR HAS EXISTING AREAS OF HAZARDOUS WASTE CONTAMINATION ON-SITE THAT WILL BE CAPPED IN-PLACE. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	B	PERMIT INFO REQ FOR ALL HAZ WASTE LAND DISP FACILITIES	ESTABLISHES THE SUBSTANTIVE HAZARDOUS WASTE LAND DISPOSAL PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUATE PROTECTION OF THE GROUND WATER. INCLUDES INFORMATION SUCH AS GROUND WATER MONITORING DATA, INFORMATION ON INTERCONNECTED AQUIFERS, PLUME(S) OF CONTAMINATION, PLANS AND REPORTS ON GROUND WATER MONITORING PROGRAM, ETC.	PERTAINS TO ANY FACILITY/SITE WHICH WILL HAVE HAZARDOUS WASTE DISPOSED OF ON-SITE OR HAS EXISTING AREAS OF HAZARDOUS WASTE CONTAMINATION ON-SITE THAT WILL BE CAPPED IN-PLACE. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	C1	ADD'L PERMIT INFO: HAZ WASTE STORAGE IN CONTAINERS	ESTABLISHES THE SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF CONTAINER STORAGE. INCLUDES INFORMATION SUCH AS DESCRIPTION OF CONTAINMENT SYSTEM, DETAILED DRAWINGS, ETC. SEE OAC 3745-55-70 THROUGH 3745-55-78 FOR ADDITIONAL CONTAINER REQUIREMENTS.	PERTAINS TO ANY SITE AT WHICH STORAGE OF HAZARDOUS WASTE ON-SITE WILL OCCUR IN CONTAINERS. CONSIDER FOR WASTES AND CONTAMINATED SOILS THAT ARE STORED PRIOR TO TREATMENT OR DISPOSAL. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-55-70 THROUGH 3745-55-78, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	C2	ADD'L PERMIT INFO: HAZ WASTE STORAGE/ TREAT IN TANKS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF TANK TREATMENT AND STORAGE UNITS. INCLUDES INFORMATION SUCH AS ASSESSMENT OF STRUCTURAL INTEGRITY, DETAILED PLANS OF TANK SYSTEM(S), DESCRIPTION OF SECONDARY CONTAINMENT SYSTEM, ETC. SEE OAC 3745-55-90 THROUGH 3745-55-99 FOR ADDITIONAL REQUIREMENTS.	PERTAINS TO ANY SITE AT WHICH STORAGE OR TREATMENT OF HAZARDOUS WASTE IN TANKS WILL OCCUR ON-SITE. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-55-90 THROUGH 3745-55-99, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	C4	ADD'L PERMIT INFO: HAZ WASTE STOR/TREAT IN WASTE PILES	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF SURFACE IMPOUNDMENTS USED TO TREAT OR STORE HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC. SEE OAC 3745-56-20 THROUGH 3745-56-33 FOR ADDITIONAL SURFACE IMPOUNDMENT REQUIREMENTS.	PERTAINS TO SITE AT WHICH HAZARDOUS WASTE WILL BE STORED OR TREATED IN SURFACE IMPOUNDMENTS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-56-20 THROUGH 3745-56-33, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	C5	ADD'L PERMIT INFO: HAZ WASTE TREAT/DISP BY LAND TREAT	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF LAND TREATMENT TO TREAT OR DISPOSE OF HAZARDOUS WASTES. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DESIGN MEASURES TO MAXIMIZE TREATMENT, DIMENSIONS OF TREATMENT ZONE, DESIGN OF UNIT, INFORMATION ON POTENTIAL CROPS, ETC. SEE	PERTAINS TO ANY SITE AT WHICH LAND TREATMENT WILL BE USED TO TREAT OR DISPOSE OF HAZARDOUS WASTES. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-20-50 THROUGH 3745-33-60, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
			OAC 3745-56-70 THROUGH 3745-56-83 FOR ADDITIONAL LAND TREATMENT REQUIREMENTS.		
3745-50-44	C6	ADD'L PERMIT INFO: ENVIRONMENTAL PERFORMANCE STANDARDS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS, AND UNDERGROUND INJECTION WELLS USED TO TREAT, STORE OR DISPOSE OF HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC. SEE OAC 3745-57-01 ADDITIONAL REQUIREMENTS.	PERTAINS TO SITE AT WHICH HAZARDOUS WASTE WILL BE OR HAS BEEN STORED, TREATED OR DISPOSED OF IN SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS OR UNDERGROUND INJECTION WELLS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-01 ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	C7	ADD'L PERMIT INFO: HAZ WASTE DISPOSAL IN LANDFILLS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF LANDFILLS USED FOR DISPOSAL OF HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC.. SEE OAC 3745-57-02 THROUGH 3745-57-18 FOR ADDITIONAL LANDFILL REQUIREMENTS.	PERTAINS TO SITE AT WHICH HAZARDOUS WASTE WILL BE OR HAS BEEN DISPOSED OF IN LANDFILLS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-02 THROUGH 3745-57-18, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-44	C9	ADD'L PERMIT INFO: HAZ WASTE T/S/D IN MISC UNITS	ESTABLISHES SUBSTANTIVE HAZARDOUS WASTE PERMIT REQUIREMENTS NECESSARY FOR OHIO EPA TO DETERMINE ADEQUACY OF MISCELLANEOUS UNITS USED TO TREAT OR STORE HAZARDOUS WASTE. INCLUDES INFORMATION SUCH AS WASTE CHARACTERISTICS, DETAILED DESIGN PLANS AND REPORTS, CONTROL OF RUN-ON AND RUN-OFF, CLOSURE INFORMATION, ETC.. SEE OAC 3745-57-90 THROUGH 3745-57-93 FOR ADDITIONAL REQUIREMENTS FOR MISCELLANEOUS UNITS.	PERTAINS TO FACILITY/SITE AT WHICH HAZARDOUS WASTE WILL BE STORED, TREATED OR DISPOSED OF IN MISCELLANEOUS UNITS. THIS, ALONG WITH OTHER PARAGRAPHS OF THIS RULE AND OAC 3745-57-90 THROUGH 3745-57-93, ESTABLISHES THE MINIMUM INFORMATION REQUIRED DURING THE REMEDIAL DESIGN STAGE.	ACTION
3745-50-58	E,I,J	HAZARDOUS WASTE FACILITY PERMIT CONDITIONS	ESTABLISHES GENERAL PERMIT CONDITIONS APPLIED TO ALL HAZARDOUS WASTE FACILITIES IN OHIO. INCLUDES CONDITIONS SUCH AS OPERATION AND MAINTENANCE, SITE ACCESS, MONITORING, ETC.	PERTAINS TO ALL ALTERNATIVES THAT WILL INCORPORATE TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTE.	ACTION
3745-51-05	A-J	REQ. FOR CONDITIONALLY EXEMPT SMALL QUANTITY GENERATORS	SPECIFIES REQUIREMENTS FOR CONDITIONALLY EXEMPT SMALL QUANTITY GENERATORS OF HAZARDOUS WASTE. PROVIDES RELIEF FROM MANY OF THE HAZARDOUS WASTE REGULATIONS.	CONSIDER FOR SITES WHERE THE QUANTITY OF HAZARDOUS WASTE GENERATED BY AN ON-SITE ACTION WILL BE LESS THAN 100 KG PER MONTH. MONTHLY LIMIT FOR ACUTE HAZARDOUS WASTE IS ONE (1) KG.	ACTION CHEMICAL

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-51-06	A,B,C(1)	REQUIREMENTS FOR RECYCLED MATERIALS	DEFINES RECYCLED HAZARDOUS WASTES AND ESTABLISHES SPECIFIC EXEMPTIONS FOR THESE WASTES FROM THE HAZARDOUS WASTE REGULATIONS.	PERTAINS TO ANY SITE AT WHICH RECYCLING OF HAZARDOUS WASTES MAY TAKE PLACE. CONSIDER FOR SITES AT WHICH THE FOLLOWING MATERIALS ARE PRESENT: INDUSTRIAL ETHYL ALCOHOL USED BATTERIES USED OIL SCRAP METAL PETROLEUM PRODUCTS K087 COAL AND COKE TAR SLUDGE	ACTION CHEMICAL
3745-51-07	A,B	RESIDUES OF HAZ WASTES IN EMPTY CONTAINERS	EXEMPTS THE RESIDUES OF HAZARDOUS WASTES FROM EMPTY CONTAINERS FROM THE HAZARDOUS WASTE REGULATIONS. PROVIDES SPECIFIC DEFINITIONS FOR THESE RESIDUES.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES STORAGE OF HAZARDOUS WASTE ON-SITE IN CONTAINERS.	ACTION
3745-52-11	A-D	EVALUATION OF WASTES	ANY PERSON GENERATING A WASTE MUST DETERMINE IF THAT WASTE IS A HAZARDOUS WASTE (EITHER THROUGH LISTING OR BY CHARACTERISTIC).	PERTAINS TO SITES AT WHICH WASTES OF ANY TYPE (BOTH SOLID AND HAZARDOUS) ARE LOCATED.	CHEMICAL ACTION
3745-52-20		HAZARDOUS WASTE MANIFEST - GENERAL REQUIREMENTS	REQUIRES A GENERATOR WHO TRANSPORTS OR OFFERS FOR TRANSPORTATION HAZARDOUS WASTE FOR OFF-SITE TREATMENT, STORAGE OR DISPOSAL TO PREPARE A UNIFORM HAZARDOUS WASTE MANIFEST	PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL	CHEMICAL ACTION
3745-52-22		HAZARDOUS WASTE MANIFEST - NUMBER OF COPIES	SPECIFIES THE NUMBER OF MANIFEST COPIES TO BE PREPARED	PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL	CHEMICAL ACTION
3745-52-23		HAZARDOUS WASTE MANIFEST - USE	SPECIFIES PROCEDURES FOR THE USE OF HAZARDOUS WASTE MANIFESTS INCLUDING A REQUIREMENT THAT THEY BE HAND SIGNED BY THE GENERATOR	ERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL	CHEMICAL ACTION
3745-52-30		HAZARDOUS WASTE PACKAGING	REQUIRES A GENERATOR TO PACKAGE HAZARDOUS WASTE IN ACCORDANCE WITH U.S. DOT REGULATIONS FOR TRANSPORTATION OFF-SITE.	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.	CHEMICAL ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-52-31		HAZARDOUS WASTE LABELING	REQUIRES PACKAGES OF HAZARDOUS WASTE TO BE LABELLED IN ACCORDANCE WITH U.S.DOT REGULATIONS FOR OFF-SITE TRANSPORTATION.	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.	CHEMICAL ACTION
3745-52-32		HAZARDOUS WASTE MARKING	SPECIFIES LANGUAGE FOR MARKING PACKAGES OF HAZARDOUS WASTE PRIOR TO OFF-SITE TRANSPORTATION	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.	CHEMICAL ACTION
3745-52-33		HAZARDOUS WASTE PLACARDING	GENERATOR SHALL PLACARD HAZARDOUS WASTE PRIOR TO OFF-SITE TRANSPORTATION.	PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.	CHEMICAL ACTION
3745-52-34		ACCUMULATION TIME OF HAZARDOUS WASTE	IDENTIFIES MAXIMUM TIME PERIODS THAT A GENERATOR MAY ACCUMULATE A HAZARDOUS WASTE WITHOUT BEING CONSIDERED AN OPERATOR OF A STORAGE FACILITY. ALSO ESTABLISHES STANDARDS FOR MANAGEMENT OF HAZARDOUS WASTES BY GENERATORS.	PERTAINS TO A SITE WHERE HAZARDOUS WASTE WILL BE GENERATED AS A RESULT OF THE REMEDIAL ACTIVITIES.	CHEMICAL ACTION
3745-54-13	A	GENERAL ANALYSIS OF HAZARDOUS WASTE	PRIOR TO ANY TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES, A REPRESENTATIVE SAMPLE OF THE WASTE MUST BE CHEMICALLY AND PHYSICALLY ANALYZED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	CHEMICAL
3745-54-14	A,B,C	SECURITY FOR HAZARDOUS WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST BE SECURED SO THAT UNAUTHORIZED AND UNKNOWNING ENTRY ARE MINIMIZED OR PROHIBITED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-15	A,C	INSPECTION REQUIREMENTS FOR HAZARDOUS WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST BE INSPECTED REGULARLY TO DETECT MALFUNCTIONS, DETERIORATIONS, OPERATIONAL ERRORS AND DISCHARGES. ANY MALFUNCTIONS OR DETERIORATIONS DETECTED SHALL BE REMEDIED EXPEDITIOUSLY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-54-17	A,B,C	REQ FOR IGNITABLE, REACTIVE OR INCOMPATIBLE HAZ WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN TO PREVENT ACCIDENTAL IGNITION OR REACTION OF IGNITABLE, REACTIVE OR INCOMPATIBLE WASTES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY REACTIVE, IGNITABLE OR INCOMPATIBLE WASTES ARE PRESENT.	ACTION LOCATION
3745-54-18	A,B,C	LOCATION STANDARDS FOR HAZARDOUS WASTE T/S/D FACILITIES	RESTRICTS THE SITING OF HAZARDOUS WASTE FACILITIES IN AREAS OF SEISMIC ACTIVITY OR FLOODPLAINS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	LOCATION
3745-54-31		DESIGN & OPERATION OF HAZARDOUS WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST BE DESIGNED, CONSTRUCTED, MAINTAINED AND OPERATED TO MINIMIZE THE POSSIBILITY OF FIRE, EXPLOSION OR UNPLANNED RELEASE OF HAZARDOUS WASTE OR HAZARDOUS CONSTITUENTS TO THE AIR, SOIL OR SURFACE WATER WHICH COULD THREATEN HUMAN HEALTH OR THE ENVIRONMENT.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-32	A,B,C,D	REQUIRED EQUIPMENT FOR HAZARDOUS WASTE FACILITIES	ALL HAZARDOUS WASTE FACILITIES MUST BE EQUIPPED WITH EMERGENCY EQUIPMENT, SUCH AS AN ALARM SYSTEM, FIRE CONTROL EQUIPMENT AND A TELEPHONE OR RADIO.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-33		TESTING & MAINTENANCE OF EQUIPMENT; HAZ WASTE FACILITIES	ALL HAZARDOUS WASTE FACILITIES MUST TEST AND MAINTAIN EMERGENCY EQUIPMENT TO ASSURE PROPER OPERATION.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-34		ACCESS TO COMMUNICATIONS OR ALARM SYSTEM; HAZ WASTE FAC	WHENEVER HAZARDOUS WASTE IS BEING HANDLED, ALL PERSONNEL INVOLVED SHALL HAVE IMMEDIATE ACCESS TO AN INTERNAL ALARM OR EMERGENCY COMMUNICATION DEVICE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-35		REQUIRED AISLE SPACE AT HAZ WASTE FACILITIES	ADEQUATE AISLE SPACE SHALL BE MAINTAINED TO ALLOW UNOBSTRUCTED MOVEMENT OF PERSONNEL, FIRE EQUIPMENT, SPILL CONTROL EQUIPMENT AND DECONTAMINATION EQUIPMENT INTO ANY AREA OF THE FACILITY OPERATION IN THE EVENT OF AN EMERGENCY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF). CONSIDER FOR SITES WHERE WASTES WILL BE STORED IN CONTAINERS.	ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-54-37	A,B	ARRANGEMENTS/ AGREEMENTS WITH LOCAL AUTHORITIES	ARRANGEMENTS OR AGREEMENTS WITH LOCAL AUTHORITIES, SUCH AS POLICE, FIRE DEPARTMENT AND EMERGENCY RESPONSE TEAMS MUST BE MADE. IF LOCAL AUTHORITIES WILL NOT COOPERATE, DOCUMENTATION OF THAT NON-COOPERATION SHOULD BE PROVIDED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-52	A-F	CONTENT OF CONTINGENCY PLAN; HAZ WASTE FACILITIES	HAZARDOUS WASTE FACILITIES MUST HAVE A CONTINGENCY PLAN THAT ADDRESSES ANY UNPLANNED RELEASE OF HAZARDOUS WASTES OR HAZARDOUS CONSTITUENTS INTO THE AIR, SOIL OR SURFACE WATER. THIS RULE ESTABLISHES THE MINIMUM REQUIRED INFORMATION OF SUCH A PLAN.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-53	A,B	COPIES OF CONTINGENCY PLAN; HAZARDOUS WASTE FACILITIES	COPIES OF THE CONTINGENCY PLAN REQUIRED BY 3745-54-50 MUST BE MAINTAINED AT THE FACILITY AND SUBMITTED TO ALL LOCAL POLICE DEPARTMENTS, FIRE DEPARTMENTS, HOSPITALS LOCAL EMERGENCY RESPONSE TEAMS AND THE OHIO EPA.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF)	ACTION
3745-54-54	A	AMENDMENT OF CONTINGENCY PLAN; HAZ WASTE FACILITIES	THE CONTINGENCY PLAN MUST BE AMENDED IF IT FAILS IN AN EMERGENCY, THE FACILITY CHANGES (IN ITS DESIGN, CONSTRUCTION, MAINTENANCE OR OPERATION), THE LIST OF EMERGENCY COORDINATORS CHANGE OR THE LIST OF EMERGENCY EQUIPMENT.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-55		EMERGENCY COORDINATOR; HAZARDOUS WASTE FACILITIES	AT ALL TIMES THERE SHOULD BE AT LEAST ONE EMPLOYEE EITHER ON THE PREMISES OR ON CALL TO COORDINATE ALL EMERGENCY RESPONSE MEASURES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-56	A-I	EMERGENCY PROCEDURES; HAZARDOUS WASTE FACILITIES	SPECIFIES THE PROCEDURES TO BE FOLLOWED IN THE EVENT OF AN EMERGENCY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF).	ACTION
3745-54-90		GROUND WATER PROTECTION; APPLICABILITY	ESTABLISHES CIRCUMSTANCES UNDER WHICH AN OPERATOR OF A HAZARDOUS WASTE FACILITY MUST IMPLEMENT A GROUND WATER PROTECTION PROGRAM OR A CORRECTIVE ACTION PROGRAM.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	LOCATION ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-54-91	A	REQ GROUND WATER PROGRAMS FOR HAZ WASTE FACILITIES	PRESENTS THE GROUND WATER MONITORING AND RESPONSE PROGRAMS REQUIRED FOR HAZARDOUS WASTE LAND-BASED UNITS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-54-92		GROUND WATER PROTECTION STANDARD; HAZ WASTE FACILITIES	COMPLIANCE MUST BE ATTAINED WITH THE CONDITIONS SPECIFIED IN THE PERMIT TO ENSURE THAT HAZARDOUS CONSTITUENTS (SEE 3745-54-93) DO NOT EXCEED THE PROMULGATED LIMITS (SEE 3745-54-94).	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL
3745-54-93	A,B	HAZARDOUS CONSTITUENTS IN GROUND WATER; HAZ WASTE FAC	REQUIRES THAT PERMIT SPECIFY HAZARDOUS CONSTITUENTS TO WHICH THE GROUND WATER PROTECTION STANDARD OF 3745-54-92 APPLIES. HAZARDOUS CONSTITUENTS ARE CONSTITUENTS IDENTIFIED IN THE APPENDIX OF THIS RULE THAT HAVE BEEN DETECTED IN GROUND WATER IN THE UPPERMOST AQUIFER UNDERLYING THE UNIT(S) AND ARE REASONABLY EXPECTED TO BE IN OR DERIVED FROM WASTE CONTAINED IN THE UNIT(S).	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	CHEMICAL
3745-54-94	A,B	CONCENTRATION LIMITS FOR GROUND WATER; HAZ WASTE FAC	PRESENTS THE METHODOLOGY FOR DETERMINING CONCENTRATION LIMITS AND ALTERNATIVE CONCENTRATION LIMITS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	CHEMICAL
3745-54-95	A,B	POINT OF COMPLIANCE FOR GROUND WATER; HAZ WASTE FACIL	ESTABLISHES POINT OF COMPLIANCE AT VERTICAL SURFACE LOCATED AT THE HYDRAULICALLY DOWNGRAIDENT LIMIT OF THE WASTE MANAGEMENT AREA THAT EXTENDS DOWN INTO THE UPPERMOST AQUIFER UNDERLYING THE UNIT(S).	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS; WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL
3745-54-96	A,B,C	COMPLIANCE PERIOD FOR GROUND WATER; HAZ WASTE FACIL	A COMPLIANCE PERIOD DURING WHICH THE GROUND WATER PROTECTION STANDARDS APPLY WILL BE SPECIFIED IN THE PERMIT. RULE REQUIRES THAT THE COMPLIANCE PERIOD FOR A FACILITY UNDERGOING A CORRECTIVE ACTION PROGRAM WILL EXTEND UNTIL IT CAN BE DEMONSTRATED THAT THE GROUND WATER PROTECTION STANDARD OF OAC 3745-54-92 HAS NOT BEEN EXCEEDED FOR A PERIOD OF THREE CONSECUTIVE YEARS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL
3745-54-97	A-H	GEN GROUND WATER MONITORING REQUIREMENTS; HAZ WASTE FAC	PRESENTS GENERAL GROUND WATER MONITORING PROGRAM REQUIREMENTS. INCLUDES NUMBER, LOCATION AND DEPTH OF WELLS, CASING REQUIREMENTS, SAMPLING AND ANALYSIS PROCEDURES, ETC.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-54-98	A-I	GROUND WATER DETECTION MONITORING PROG; HAZ WASTE FAC	PRESENTS REQUIREMENTS OF GROUND WATER DETECTION PROGRAM.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE NOT BEEN DETECTED IN THE GROUND WATER. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL
3745-54-99	A-J	GROUND WATER COMPLIANCE MONITORING PROG; HAZ WASTE FAC	PRESENTS REQUIREMENTS OF GROUND WATER COMPLIANCE MONITORING PROGRAM.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE BEEN DETECTED. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL
3745-55-01	A-F	GROUND WATER CORRECTIVE ACTION PROGRAM; HAZ WASTE FAC	PRESENTS THE REQUIREMENTS OF A GROUND WATER CORRECTIVE ACTION PROGRAM THAT PREVENTS HAZARDOUS CONSTITUENTS FROM EXCEEDING THEIR RESPECTIVE CONCENTRATION LIMITS AT THE COMPLIANCE POINT BY EITHER REMOVAL OR TREATMENT OF THESE HAZARDOUS CONSTITUENTS.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE BEEN DETECTED. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION CHEMICAL
3745-55-011	A,C	CORRECTIVE ACTION FOR WASTE MANAGEMENT UNITS	REQUIRES AN APPLICANT FOR A HAZARDOUS WASTE PERMIT TO INSTITUTE CORRECTIVE ACTION FOR ALL RELEASES OF HAZARDOUS WASTE OR CONSTITUENTS FROM ANY WASTE MANAGEMENT UNIT, REGARDLESS OF THE TIME AT WHICH WASTE WAS PLACED IN SUCH UNIT.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS, LANDFILLS) AT WHICH HAZARDOUS CONSTITUENTS HAVE BEEN DETECTED. THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-55-11	A,B,C	GENERAL CLOSURE PERFORMANCE STANDARD; HAZ WASTE FACIL	REQUIRES THAT ALL HAZARDOUS WASTE FACILITIES BE CLOSED IN A MANNER THAT MINIMIZES THE NEED FOR FURTHER MAINTENANCE, CONTROLS, MINIMIZES, ELIMINATES OR PREVENTS POST-CLOSURE ESCAPE OF HAZARDOUS WASTE, HAZARDOUS CONSTITUENTS, LEACHATE, CONTAMINATED RUN-OFF OR HAZARDOUS WASTE DECOMPOSITION PRODUCTS TO THE GROUND OR SURFACE WATER OR THE ATMOSPHERE.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN TREATED, STORED OR DISPOSED OF).	ACTION
3745-55-12	B	CONTENT OF CLOSURE PLAN; HAZ WASTE FACILITIES	SPECIFIES THE MINIMUM INFORMATION REQUIRED IN A CLOSURE PLAN FOR OHIO EPA TO DETERMINE THE ADEQUACY OF THE PLAN.	SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN TREATED, STORED OR DISPOSED OF).	ACTION
3745-55-14		DISPOSAL/ DECON OF EQUIPMENT, STRUCTURES & SOILS	REQUIRES THAT ALL CONTAMINATED EQUIPMENT, STRUCTURES AND SOILS BE PROPERLY DISPOSED OF OR DECONTAMINATED. REMOVAL OF HAZARDOUS WASTES OR CONSTITUENTS FROM A UNIT MAY CONSTITUTE GENERATION OF HAZARDOUS WASTES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN TREATED, STORED OR DISPOSED OF).	ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-55-17	B	POST-CLOSURE CARE AND USE OF PROPERTY	SPECIFIES THE POST-CLOSURE CARE REQUIREMENTS, INCLUDING MAINTENANCE, MONITORING AND POST-CLOSURE USE OF PROPERTY.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (LANDFILLS AND SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS AND TANKS THAT MEET REQUIREMENTS OF LANDFILLS AFTER CLOSURE). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-55-18	B	POST-CLOSURE PLAN	PRESENTS THE INFORMATION NECESSARY FOR OHIO EPA TO DETERMINE THE ADEQUACY OF A POST-CLOSURE PLAN.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (LANDFILLS AND SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS AND TANKS THAT MEET REQUIREMENTS OF LANDFILLS AFTER CLOSURE). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-55-19	B	NOTICE TO LOCAL LAND AUTHORITY	REQUIRES THAT A RECORD OF THE TYPE, LOCATION AND QUANTITY OF HAZARDOUS WASTES DISPOSED OF IN EACH UNIT BE SUBMITTED TO THE LOCAL LAND AUTHORITY AND THE DIRECTOR OF THE OHIO EPA. ALSO REQUIRES THAT A NOTATION TO THE DEED TO THE FACILITY PROPERTY BE MADE INDICATING THAT THE LAND WAS USED TO MANAGE HAZARDOUS WASTES AND THAT CERTAIN USE RESTRICTIONS MAY APPLY TO THE PROPERTY.	PERTAINS TO ALL SITES WITH LAND-BASED HAZARDOUS WASTE UNITS (LANDFILLS AND SURFACE IMPOUNDMENTS, WASTE PILES, LAND TREATMENT UNITS AND TANKS THAT MEET REQUIREMENTS OF LANDFILLS AFTER CLOSURE). THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-55-71		CONDITION OF CONTAINERS	CONTAINERS HOLDING HAZARDOUS WASTE MUST BE MAINTAINED IN GOOD CONDITION (NO RUST OR STRUCTURAL DEFECTS).	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.	ACTION
3745-55-72		COMPATIBILITY OF WASTE WITH CONTAINERS	HAZARDOUS WASTES PLACED IN CONTAINER MUST NOT REACT WITH THE CONTAINER MATERIAL OR LINER MATERIAL.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.	ACTION
3745-55-73		MANAGEMENT OF CONTAINERS	CONTAINERS HOLDING HAZARDOUS WASTE MUST BE CLOSED (EXCEPT TO ADD OR REMOVE WASTE) AND MUST NOT BE HANDLED IN A MANNER THAT MAY RUPTURE THE CONTAINER OR CAUSE IT TO LEAK.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.	ACTION
3745-55-74		CONTAINER INSPECTIONS	REQUIRES AT LEAST WEEKLY INSPECTIONS OF CONTAINER STORAGE AREAS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-55-75	A,B,C,D	CONTAINER STORAGE AREA CONTAINMENT SYSTEM	REQUIRES THAT CONTAINER STORAGE AREAS HAVE A CONTAINMENT SYSTEM AND SPECIFIES THE MINIMUM REQUIREMENTS OF SUCH A SYSTEM.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.	ACTION
3745-55-76		CONTAINER REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN TO PREVENT ACCIDENTAL IGNITION OR REACTION OF IGNITABLE OR REACTIVE WASTES THAT WILL BE STORED IN CONTAINERS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY REACTIVE OR IGNITABLE WASTES THAT ARE STORED, OR ARE TO BE STORED, IN CONTAINERS.	ACTION CHEMICAL
3745-55-77	A,B,C	CONTAINER REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH INCOMPATIBLE WASTES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE WASTES ARE PRESENT.	ACTION CHEMICAL
3745-55-78		CONTAINER CLOSURE REQUIREMENTS	SPECIFIES CLOSURE REQUIREMENTS FOR CONTAINERS AND CONTAINMENT SYSTEM.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.	ACTION
3745-55-91	A,B,D	ASSESSMENT OF EXISTING TANK SYSTEMS INTEGRITY	REQUIRES THAT EACH EXISTING TANK USED TO STORE OR TREAT HAZARDOUS WASTE THAT DOES NOT HAVE SECONDARY CONTAINMENT BE TESTED TO ASSURE TANK INTEGRITY.	PERTAINS TO ANY SITE WHICH HAS EXISTING HAZARDOUS WASTE TREATMENT OR STORAGE TANKS THAT LACK SECONDARY CONTAINMENT.	ACTION
3745-55-92	A-G	DESIGN & INSTALLATION OF NEW TANK SYSTEMS OR COMPONENTS	REQUIRES A SECONDARY CONTAINMENT SYSTEM FOR TANKS AND ASSESSMENT TO DETERMINE TANK INTEGRITY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.	ACTION
3745-55-93	A-G,I	CONTAINMENT AND DETECTION OF RELEASES FOR TANK SYSTEMS	REQUIRES SECONDARY CONTAINMENT AND LEAK DETECTION SYSTEMS FOR TANKS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-55-94	A,B,C	GENERAL OPERATING REQUIREMENTS FOR TANK SYSTEMS	SPECIFIES GENERAL OPERATING REQUIREMENTS FOR TANK SYSTEMS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.	ACTION
3745-55-95	A-D	INSPECTIONS OF TANK SYSTEMS	REQUIRES INSPECTIONS AT LEAST ONCE EACH OPERATING DAY.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.	ACTION
3745-55-96	A,B,C,E	RESPONSE TO LEAKS OR SPILLS OF TANK SYSTEMS	REQUIRES THAT UNFIT TANKS BE REMOVED FROM USE AND FURTHER RELEASES BE PREVENTED.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.	ACTION
3745-55-97	A,B	CLOSURE AND POST-CLOSURE CARE FOR TANK SYSTEMS	SPECIFIES CLOSURE AND POST-CLOSURE REQUIREMENTS FOR TANK SYSTEMS.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN TANKS.	ACTION
3745-55-98		TANK REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN TO PREVENT ACCIDENTAL IGNITION OR REACTION OF IGNITABLE OR REACTIVE WASTES THAT ARE TREATED OR STORED IN TANKS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY REACTIVE OR IGNITABLE WASTES ARE STORED OR TREATED (OR TO BE STORED OR TREATED) IN EXISTING TANKS.	ACTION
3745-55-99	A,B	TANK REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY INCOMPATIBLE WASTES THAT ARE STORED OR TREATED IN TANKS.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE WASTES ARE STORED OR TREATED (OR TO BE STORED OR TREATED) IN TANKS.	ACTION
3745-56-51	A-F	DESIGN & OPERATING REQUIREMENTS FOR WASTE PILES	SPECIFIES THE DESIGN AND OPERATION REQUIREMENTS FOR WASTE PILES. INCLUDES LINER SYSTEM, LEACHATE COLLECTION AND REMOVAL SYSTEM, WIND DISPERSAL PREVENTION AND RUN-ON/RUN-OFF CONTROL.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-56-54	A,B	MONITORING & INSPECTION OF WASTE PILES	WASTE PILES MUST BE MONITORED DURING CONSTRUCTION OR INSTALLATION AND OPERATION.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION
3745-56-56	A,B	WASTE PILE REQUIREMENTS FOR IGNITABLE/ REACTIVE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTES THAT ARE STORED OR TREATED IN WASTE PILES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION CHEMICAL
3745-56-57	A,B,C	WASTE PILE REQUIREMENTS FOR INCOMPATIBLE WASTES	PRESENTS GENERAL PRECAUTIONS TO BE TAKEN WHEN DEALING WITH POTENTIALLY INCOMPATIBLE WASTES THAT ARE STORED OR TREATED IN WASTE PILES.	PERTAINS TO ANY SITE AT WHICH POTENTIALLY INCOMPATIBLE HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION CHEMICAL
3745-56-58	A,B,C	CLOSURE & POST-CLOSURE CARE FOR WASTE PILES	SPECIFIES CLOSURE AND POST-CLOSURE CARE REQUIREMENTS FOR WASTE PILES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION
3745-56-59	A	CONSTRUCTION INSPECTIONS FOR WASTE PILES	ALLOWS OHIO EPA THE OPPORTUNITY TO INSPECT WASTE PILES DURING CONSTRUCTION.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION
3745-56-60	A,B	SPECIAL REQUIREMENTS FOR "F" WASTES IN WASTE PILES	PROHIBITS THE PLACEMENT OF HAZARDOUS WASTES F020, F021, F022, F023, F026 AND F027 IN WASTE PILES.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS F-WASTES WILL BE EITHER STORED OR TREATED IN WASTE PILES.	ACTION CHEMICAL
3745-57-01	A-D	ENVIRONMENTAL PERFORMANCE STANDARDS; LAND-BASED UNITS	SPECIFIES LOCATION, DESIGN, CONSTRUCTION, OPERATION, MAINTENANCE AND CLOSURE REQUIREMENTS FOR LANDFILLS, WASTE PILES, SURFACE IMPOUNDMENTS AND UNDERGROUND INJECTION WELLS.	PERTAINS TO ALL SITES THAT EITHER HAVE OR WILL HAVE AT LEAST ONE OF THE FOLLOWING UNITS ON-SITE: LANDFILLS, WASTE PILES, SURFACE IMPOUNDMENTS, LAND TREATMENT FACILITIES AND UNDERGROUND INJECTION WELLS (THIS INCLUDES EXISTING LAND-BASED AREAS OF CONTAMINATION).	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-57-03	A-I	LANDFILL DESIGN AND OPERATING REQUIREMENTS	PRESENTS DESIGN AND OPERATING REQUIREMENTS FOR LANDFILLS. INCLUDES LINER, LEACHATE COLLECTION AND REMOVAL, RUN-ON/RUN-OFF CONTROL, ETC.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE ALSO PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-57-05	A,B	MONITORING AND INSPECTIONS OF LANDFILLS	REQUIRES INSPECTION OF LANDFILLS DURING CONSTRUCTION OR INSTALLATION AND OPERATION.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-57-10	A,B	LANDFILL CLOSURE AND POST-CLOSURE CARE	SPECIFIES CLOSURE AND POST-CLOSURE REQUIREMENTS FOR HAZARDOUS WASTE LANDFILLS. INCLUDES FINAL COVER AND MAINTENANCE.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-57-12	A,B	LANDFILL REQUIREMENTS FOR IGNITABLE/REACTIVE WASTES	PROHIBITS THE DISPOSAL OF IGNITABLE OR REACTIVE WASTE IN A LANDFILL, UNLESS THE WASTE IS TREATED, RENDERED OR MIXED SO THAT THE RESULTANT MATERIAL NO LONGER MEETS THE DEFINITION OF IGNITABLE OR REACTIVE WASTE.	PERTAINS TO ALL SITES AT WHICH POTENTIALLY IGNITABLE OR REACTIVE HAZARDOUS WASTE MAY BE LANDFILLED.	ACTION CHEMICAL
3745-57-13		LANDFILL REQUIREMENTS FOR INCOMPATIBLE WASTES	PROHIBITS THE DISPOSAL OF INCOMPATIBLE WASTE IN THE SAME CELL OF A LANDFILL.	PERTAINS TO ALL SITES AT WHICH POTENTIALLY INCOMPATIBLE HAZARDOUS WASTE MAY BE LANDFILLED.	ACTION CHEMICAL
3745-57-14	A-D	LANDFILL REQUIREMENTS FOR BULK & CONTAINERIZED LIQUIDS	THE PLACEMENT OF BULK OR NON-CONTAINERIZED LIQUID HAZARDOUS WASTE OR HAZARDOUS WASTES CONTAINING FREE LIQUIDS (WHETHER OR NOT ABSORBANTS HAVE BEEN ADDED) IN ANY LANDFILL IS PROHIBITED.	PERTAINS TO ALL SITES AT WHICH A LIQUID HAZARDOUS WASTE OR HAZARDOUS WASTE CONTAINING FREE LIQUIDS ARE CONSIDERED FOR LANDFILLING.	ACTION
3745-57-15	A,B	LANDFILL REQUIREMENTS FOR CONTAINERS	UNLESS THEY ARE VERY SMALL, CONTAINERS MUST EITHER BE AT LEAST 90% FULL WHEN PLACED IN THE LANDFILL OR CRUSHED/SHREDDED PRIOR TO PLACEMENT IN THE LANDFILL.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED AND CONTAINERS ARE TO BE DISPOSED OF IN THE LANDFILL.	ACTION

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-57-16	A-E	DISPOSAL OF SMALL CONTAINERS OF HAZ WASTES IN OVERPACKS	LAB PACKS CONTAINING HAZARDOUS WASTE MAY BE PLACED IN A LANDFILL IF CERTAIN REQUIREMENTS ARE MET.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED AND LAB PACKS ARE TO BE PLACED IN THE LANDFILL.	ACTION
3745-57-17	A	LANDFILL CONSTRUCTION INSPECTIONS	ALLOWS OHIO EPA OPPORTUNITY TO INSPECT LANDFILL DURING CONSTRUCTION.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED. THIS RULE PERTAINS TO EXISTING LAND-BASED AREAS OF CONTAMINATION.	ACTION
3745-57-18	A,B	SPECIAL REQUIREMENTS FOR "F" WASTES IN LANDFILLS	PROHIBITS THE PLACEMENT OF HAZARDOUS WASTES F020, F021, F022, F023, F026 AND F027 IN LANDFILLS.	PERTAINS TO ALL SITES AT WHICH A HAZARDOUS WASTE LANDFILL WILL EITHER BE LOCATED OR AN EXISTING LANDFILL WILL BE EXPANDED AND F-WASTES ARE BEING CONSIDERED FOR LANDFILLING.	ACTION CHEMICAL
3745-57-91	A,B,C	ENVIRONMENTAL PERFORMANCE STANDARDS FOR MISC UNITS	ESTABLISHES LOCATION, DESIGN, CONSTRUCTION, OPERATION, MAINTENANCE AND CLOSURE REQUIREMENTS FOR MISCELLANEOUS UNITS USED TO TREAT, STORE OR DISPOSE OF HAZARDOUS WASTES.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES IN MISCELLANEOUS UNITS.	ACTION CHEMICAL
3745-57-92		MONITORING, INSPECTING, ANALYZING, ... FOR MISC UNITS	REQUIRES THAT MONITORING, ANALYSIS, INSPECTION, RESPONSE, REPORTING AND CORRECTIVE ACTION BE CONDUCTED AS NECESSARY AT MISCELLANEOUS UNITS TO ASSURE THAT HUMAN HEALTH AND THE ENVIRONMENT ARE PROTECTED.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES IN MISCELLANEOUS UNITS.	ACTION
3745-57-93		POST-CLOSURE CARE FOR MISC DISPOSAL UNITS	REQUIRES POST-CLOSURE CARE OF MISCELLANEOUS UNITS THAT ARE DISPOSAL UNITS AND OF TREATMENT OR STORAGE MISCELLANEOUS UNITS THAT THAT LEAVE CONTAMINATED SOILS OR GROUND WATER AFTER CLOSURE.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES TREATMENT, STORAGE OR DISPOSAL OF HAZARDOUS WASTES IN MISCELLANEOUS UNITS.	ACTION
3745-59-03	A,B	DILUTION PROHIBITED AS A SUBSTITUTE FOR TREATMENT	PROHIBITS DILUTION OF A RESTRICTED WASTE OR THE RESIDUAL FROM TREATMENT OF A RESTRICTED WASTE AS A SUBSTITUTE FOR ADEQUATE TREATMENT IN ORDER TO LAND DISPOSE HAZARDOUS WASTE. DILUTION OF WATER WASTES IS NOT IMPERMISSIBLE DILUTION UNLESS A METHOD HAS BEEN SPECIFIED AS A TREATMENT STANDARD.	PERTAINS TO ANY ALTERNATIVE THAT INCORPORATES DISPOSAL OF HAZARDOUS WASTE ON-SITE.	ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-59-07	A,B,C	WASTE ANALYSIS OF HAZARDOUS WASTE	GENERATOR SHALL TEST THE WASTE OR TEST AN EXTRACT OF THE WASTE ACCORDING TO THE FREQUENCY AND TEST METHODS DESCRIBED IN THE RULES, TO DETERMINE IF THE WASTE IS RESTRICTED FROM LAND DISPOSAL.	PERTAINS TO AN ALTERNATIVE THAT INCORPORATES DISPOSAL OF HAZARDOUS WASTE ON-SITE.	ACTION
3745-59-09	B,C	SPECIAL RULES REGARDING WASTE THAT EXHIB A CHARACTERIST	PROHIBITS LAND DISPOSAL OF CHARACTERISTIC WASTE UNLESS THE WASTE COMPLIES WITH THE TREATMENT STANDARDS OF LISTED WASTES. IF THE WASTE IS BOTH LISTED AND EXHIBITS A CHARACTERISTIC, THE TREATMENT STANDARD FOR THE LISTED WASTE WILL OPERATE IN LIEU OF THE STANDARD FOR THE CHARACTERISTIC WASTE.	PERTAINS TO ANY SITE IN WHICH ON-SITE DISPOSAL OF HAZARDOUS WASTE IS AN ALTERNATIVE.	ACTION CHEMICAL
3745-59-30	A,B,C	WASTE SPECIFIC PROHIBITIONS	PROHIBITS SPENT SOLVENT WASTES OR CONTAMINATED SOIL AND DEBRIS RESULTING FROM A RESPONSE ACTION UNDER CERCLA OR RCRA TO BE LAND DISPOSED UNLESS GENERATOR MEETS TREATMENT STANDARDS (3745-59-40 TO 44) OR HAS BEEN GRANTED AN EXTENSION OR EXCEMPTION	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF HAZARDOUS WASTE IS AN ALTERNATIVE	ACTION CHEMICAL
3745-59-31	A,B,C,D	DIOXIN WASTE PROHIBITIONS	PROHIBITS ON-SITE DISPOSAL OF DIOXIN WASTE UNLESS IT MEETS TREATMENT STANDARDS OF RULES 3745-59-40 TO 44 OR THE GENERATOR HAS BEEN GRANTED AN EXTENSION OR EXEMPTION.	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF DIOXIN WASTE IS AN ALTERNATIVE	CHEMICAL ACTION
3745-59-32	A,D,E,F	CALIFORNIA LIST WASTES PROHIBITIONS	PROHIBITS LAND DISPOSAL OF FOLLOWING WASTES: 1. LIQUID WASTES WITH pH<2 OR pH=2 2. LIQUID WASTES CONTAINING PCBs WITH CONC=50 OR CONC>50 PPM 3. LIQUID WASTES WITH HALOGENATED ORGANIC LOADING OF > OR = 1000mg/l AND LESS THAN 10,000 mg/l	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF PCB OR HOC CONTAMINATED WASTE IS AN ALTERNATIVE	CHEMICAL ACTION
3745-59-33	A,B,C,D,E,F,G	FIRST THIRD WASTES PROHIBITIONS	PROHIBITS ON-SITE LAND DISPOSAL OF FIRST THIRD WASTES UNLESS REQUIREMENTS OF PARAGRAPHS D,E,F,G ARE MET	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF FIRST THIRD HAZARDOUS WASTES IS AN ALTERNATIVE	CHEMICAL ACTION
3745-59-34	A-H	SECOND THIRD WASTES PROHIBITIONS	PROHIBITS ON-SITE LAND DISPOSAL OF SECOND THIRD WASTES UNLESS REQUIREMENTS OF PARAGRAPHS D,E,F,G ARE MET	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF SECOND THIRD HAZARDOUS WASTES IS AN ALTERNATIVE	CHEMICAL ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-59-35	A-I	THIRD THIRD WASTES PROHIBITIONS	PROHIBITS ON-SITE LAND DISPOSAL OF THIRD THIRD WASTES UNLESS REQUIREMENTS OF PARAGRAPHS D,E,F,G ARE MET	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF THIRD THIRD HAZARDOUS WASTES IS AN ALTERNATIVE	CHEMICAL ACTION
3745-59-40	A,B,C	APPLICABILITY OF TREATMENT STANDARDS	PROHIBITS ON-SITE LAND DISPOSAL OF RESTRICTED WASTE UNLESS THE WASTE IS TESTED USING TEST METHOD IN THE APPENDIX TO RULE OAC 3745-21-24 OR THIS RULE AND THE CONCENTRATION OF ANY HAZARDOUS CONSITUENT DOES NOT EXCEED THE CONCENTRATION SHOWN IN TABLE CCWE OF RULE 3745-59-41 OR TABLE CCW OF RULE 3745-59-43. A WASTE TREATED USING A TECHNOLOGY SPECIFIED UNDER RULE 3745-59-42 OR EQUIVALENT MAY BE LAND DISPOSED.	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF RESTRICTED WASTE MAY BE AN ALTERNATIVE.	CHEMICAL ACTION
3745-59-41	A	TREATMENT STANDARDS AS CONCENTRATIONS IN WASTE EXTRACTS	RESTRICTED WASTE SHOULD BE TREATED TO CONCENTRATION LEVELS SPECIFIED IN THIS RULE USING TEST METHOD IN THE APPENDIX TO RULE 3745-51-24 OR THE APPENDIX TO RULE 3745-59-40	PERTAINS TO ANY SITE IN WHICH ON-SITE LAND DISPOSAL OF RESTRICTED WASTE IS AN ALTERNATIVE	CHEMICAL
3745-59-42	A,C,D	TREATMENT STANDARDS EXPRESSED AS SPECIFIED TECHNOLOGIES	ESTABLISHES TREATMENT STANDARDS FOR LIQUID HAZARDOUS WASTE CONTAINING PCBs, NON-LIQUID HAZARDOUS WASTE CONTAINING HALOGENATED ORGANIC COMPOUNDS (HOCs) AND LAB PACKS. RADIOACTIVE HAZARDOUS MIXED WASTES ARE NOT SUBJECT TO TREATMENT STANDARDS	PERTAINS TO ANY SITE IN WHICH ON-SITE TREATMENT AND DISPOSAL OF HAZARDOUS WASTE CONTAINING EITHER PCB LIQUID WASTE OR HOC NON-LIQUID WASTE MIGHT TAKE PLACE	ACTION CHEMICAL
3745-59-43	A,B,C	TREATMENT STANDARDS EXPRESSED AS WASTE CONCENTRATIONS	IDENTIFIES THE RESTRICTED WASTES AND THE CONCENTRATIONS OF THEIR ASSOCIATED HAZARDOUS CONSITUENTS WHICH MAY NOT BE EXCEEDED BY THE WASTE OR TREATMENT RESIDUAL FOR THE ALLOWABLE LAND DISPOSAL OF SUCH WASTE OR RESIDUAL	PERTAINS TO ANY SITE IN WHICH ON-SITE TREATMENT AND DISPOSAL OF RESTRICTED WASTE IS AN ALTERNATIVE	CHEMICAL
3745-59-50	A,B,C,D,E	PROHIBITION ON STORAGE OF RESTRICTED WASTE	PROHIBITS ON-SITE STORAGE OF HAZARDOUS WASTES RESTRICTED FROM LAND DISPOSAL BEYOND A SPECIFIED TIME FRAME STATED IN THE RULE.	PERTAINS TO ANY SITE IN WHICH STORAGE OF HAZARDOUS WASTE WILL OCCUR ON SITE TO FACILITATE PROPER RECOVERY, TREATMENT OR DISPOSAL. IN SOME CASES STORAGE OF RESTRICTED WASTES BEYOND ONE YEAR IS ALLOWED.	
3745-66-11	A,B	CLOSURE PERFORMANCE STANDARD	OWNER SHALL CLOSE FACILITY IN MANNER THAT MINIMIZES NEED FOR FURTHER MAINTENANCE AND REDUCES OR ELIMINATES POLLUTION OF GROUND WATER, SURFACE WATER OR ATMOSPHERE.	CONSIDER FOR REMEDIAL PLANS THAT MAY REQUIRE EXTENDED OPERATION AND MAINTENANCE OF EQUIPMENT. CONSIDER ALTERNATIVES WITH LESS LONG-TERM O&M. APPLICABLE FOR RCRA FACILITIES, APPROPRIATE AND RELEVANT FOR OTHER SITES.	

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-71-02		AMBIENT AIR QUALITY STANDARDS - LEAD	THE AMBIENT QUALITY STANDARD FOR LEAD SHALL BE A MAXIMUM ARITHMETIC MEAN OF 1.5 MICROGRAMS PER CUBIC METER DURING ANY CALENDAR QUARTER.	CONSIDER FOR SITES WHERE INCINERATION OR WASTE FUEL RECOVERY MAY TAKE PLACE.	ACTION
3745-81-11	A,B,C	MAXIMUM CONTAMINANT LEVELS FOR INORGANIC CHEMICALS	PRESENTS MAXIMUM CONTAMINANT LEVELS FOR INORGANICS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.	CHEMICAL
3745-81-12	A,B,C	MAXIMUM CONTAMINANT LEVELS FOR ORGANIC CHEMICALS	PRESENTS MCLS FOR ORGANICS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.	CHEMICAL
3745-81-27	A-E	ANALYTICAL TECHNIQUES	PRESENTS GENERAL ANALYTICAL TECHNIQUES FOR MCLS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND OR SURFACE WATER THAT IS EITHER BEING USED, OR HAS THE POTENTIAL FOR USE, AS A DRINKING WATER SOURCE.	CHEMICAL
3745-9-04	A,B	LOCATION/SITING OF NEW GW WELLS	MANDATES THAT GROUND WATER WELLS BE: A) LOCATED AND MAINTAINED SO AS TO PREVENT CONTAMINANTS FROM ENTERING WELL. B) LOCATED SO AS TO BE ACCESSIBLE FOR CLEANING AND MAINTENANCE.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.	LOCATION ACTION
3745-9-05	A1,B-H	CONSTRUCTION OF NEW GW WELLS	SPECIFIES MINIMUM CONSTRUCTION REQUIREMENTS FOR NEW GROUND WATER WELLS IN REGARDS TO CASING MATERIAL, CASING DEPTH, POTABLE WATER, ANNULAR SPACES, USE OF DRIVE SHOE, OPENINGS TO ALLOW WATER ENTRY, CONTAMINANT ENTRY.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.	ACTION
3745-9-06	A,B,D,E	CASING REQUIREMENTS FOR NEW GW WELLS	ESTABLISHES SPECIFIC REQUIREMENTS FOR WELL CASINGS, SUCH AS SUITABLE MATERIAL, DIAMETERS AND CONDITION.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.	ACTION

SITE NAME

COUNTY NAME

ADMINIS. CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3745-9-07	A-F	SURFACE DESIGN OF NEW GW WELLS	ESTABLISHES SPECIFIC SURFACE DESIGN REQUIREMENTS, SUCH AS HEIGHT ABOVE GROUND, WELL VENTS, WELL PUMPS, ETC.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.	ACTION
3745-9-09	A-C,D1,E-G	MAINTENANCE & OPERATION OF GW WELLS	ESTABLISHES SPECIFIC MAINTENANCE AND MODIFICATION REQUIREMENTS FOR CASING, PUMP AND WELLS IN GENERAL.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975. WOULD PERTAIN DURING THE FS IF NEW WELLS ARE CONSTRUCTED FOR TREATABILITY STUDIES.	ACTION
3745-9-10	A,B,C	ABANDONMENT OF TEST HOLES & GW WELLS	FOLLOWING COMPLETION OF USE, WELLS AND TEST HOLES SHALL BE COMPLETELY FILLED WITH GROUT OR SIMILAR MATERIAL OR SHALL BE MAINTAINED IN COMPLIANCE OF ALL REGULATIONS.	PERTAINS TO ALL GROUND WATER WELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975.	ACTION
3745-9-11		USE OF WELLS FOR DISPOSAL	NO PERSON SHALL USE ANY WELL TO INJECT OR REINJECT ANY SUBSTANCE INTO THE GROUND WITHOUT NECESSARY PERMITS.	MAY PERTAIN TO SYSTEMS THAT ENTAIL INJECTION OR REINJECTION OF FLUID INTO THE GROUND. CONSIDER FOR IN-SITU BIOREMEDIATION, SOIL FLUSHING AND GROUND WATER PLUME CONTAINMENT.	ACTION

SITE NAME

COUNTY NAME

REVISED CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
1518.02		ENDANGERED PLANT SPECIES	Prohibits removal or destruction of endangered plant species (some private property exceptions).	Applies to remediation sites where chemicals may harm endangered species. Clearly establishes that receptor plant species must be considered in risk assessments. This act may require consideration of endangered species in remediations that involve movement or displacement of large volumes of surface soil.	
1521.06		CONSTRUCTION PERMITS FOR DAMS, DIKES AND LEVEES	NO DAM MAY BE CONSTRUCTED FOR THE PURPOSE OF STORING, CONSERVING OR RETARDING WATER, OR FOR ANY OTHER PURPOSE, NOR SHALL ANY DIKE OR LEVEE BE CONSTRUCTED FOR THE PURPOSE OF DIVERTING OR RETAINING FLOOD WATER WITHOUT A PERMIT.	THE SUBSTANTIVE REQUIREMENTS OF THIS SECTION PERTAIN TO REMEDIES THAT WILL CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.	ACTION
1521.062	A-G	MONITORING, MAINTENANCE & OPERATION (DAMS, DIKES, LEVEES)	DAMS, DIKES AND LEVEES (AND ALL APPURTENANCES) SHALL MONITORED, MAINTAINED AND OPERATED SAFELY IN ACCORDANCE WITH STATE RULES, TERMS AND CONDITIONS OF THE PERMIT AND OTHER REQUIREMENTS ISSUED PURSUANT TO THIS SECTION OR SECTION 1521.06 OF THE ORC.	THE SUBSTANTIVE REQUIREMENTS OF THIS SECTION PERTAIN TO REMEDIES THAT WILL CREATE OR ALTER A DAM, DIKE OR LEVEE. CONSIDER FOR SITES WITH ON-SITE SURFACE WATER AND FOR SITES WITHIN A FLOODPLAIN.	ACTION
3704.05	A-I	PROHIBITS VIOLATION OF AIR POLLUTION CONTROL RULES	PROHIBITS EMISSION OF AN AIR CONTAMINANT IN VIOLATION SEC. 3704 OR ANY RULES, PERMIT, ORDER OR VARIANCE ISSUED PURSUANT TO THAT SECTION OF THE ORC.	MAY PERTAIN TO ANY SITE WHERE EMISSIONS OF AN AIR CONTAMINANT OCCURS EITHER AS A PRE-EXISTING CONDITION OF THE SITE OR AS A RESULT OF REMEDIAL ACTIVITIES. SHOULD BE CONSIDERED FOR VIRTUALLY ALL SITES.	CHEMICAL ACTION
3734.02	(G)	EXEMPTIONS TO SOLID & HAZ. WASTE T/S/D REQUIREMENTS	PROVIDES AUTHORITY AND CONDITIONS BY WHICH THE DIRECTOR MAY EXEMPT ANY PERSON FROM PERMITTING OR OTHER REQUIREMENTS GOVERNING THE GENERATION, STORAGE, TREATMENT, TRANSPORT OR DISPOSAL OF SOLID OR HAZARDOUS WASTE.	PERTAINS TO ANY SITE AT WHICH SOLID OR HAZARDOUS WASTE HAS COME TO BE LOCATED. CERTAIN ALTERNATIVES INCLUDE EXCAVATION ACTIVITIES WHICH MAY UNCOVER SOLID AND/OR HAZARDOUS WASTE. SHOULD THOSE ACTIVITIES REQUIRE THE MANAGEMENT OF SOLID/HAZARDOUS WASTES ON-SITE, AN EXEMPTION TO PERMITTING AND OTHER REQUIREMENTS MAY BE WARRANTED.	ACTION
3734.02	(H)	"DIGGING" WHERE HAZ OR SOLID WASTE FACILITY WAS LOCATED	FILLING, GRADING, EXCAVATING, BUILDING, DRILLING OR MINING ON LAND WHERE HAZARDOUS WASTE OR SOLID WASTE FACILITY WAS OPERATED IS PROHIBITED WITHOUT PRIOR AUTHORIZATION FROM THE DIRECTOR OF THE OHIO EPA.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HAS COME TO BE LOCATED. CERTAIN ALTERNATIVES INCLUDE EXCAVATION ACTIVITIES WHICH MAY UNCOVER SOLID AND/OR HAZARDOUS WASTE. SHOULD THOSE ACTIVITIES REQUIRE THE MANAGEMENT OF SOLID/HAZARDOUS WASTES ON-SITE, AN EXEMPTION TO PERMITTING AND OTHER REQUIREMENTS MAY BE WARRANTED.	LOCATION ACTION

SITE NAME

COUNTY NAME

REVISED CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3734.02	(I)	AIR EMISSIONS FROM HAZARDOUS WASTE FACILITIES	NO HAZARDOUS WASTE FACILITY SHALL EMIT ANY PARTICULATE MATTER, DUST, FUMES, GAS, MIST, SMOKE, VAPOR OR ODOROUS SUBSTANCE THAT INTERFERES WITH THE COMFORTABLE ENJOYMENT OF LIFE OR PROPERTY OR IS INJURIOUS TO PUBLIC HEALTH.	PERTAINS TO ANY SITE AT WHICH HAZARDOUS WASTE WILL BE MANAGED SUCH THAT AIR EMISSIONS MAY OCCUR. CONSIDER FOR SITES THAT WILL UNDERGO MOVEMENT OF EARTH OR INCINERATION.	
3734.03		PROHIBITS OPEN DUMPING OR BURNING	PROHIBITS OPEN BURNING OR OPEN DUMPING OF SOLID WASTE OR TREATED OR UNTREATED INFECTIOUS WASTE.	PERTAINS TO ANY SITE AT WHICH SOLID WASTE HAS COME TO BE LOCATED OR WILL BE GENERATED DURING A REMEDIAL ACTION.	ACTION LOCATION
3734.04.1	A,C,D,G	EXPLOSIVE GAS MONITORING	REQUIRES EXPLOSIVE GAS MONITORING PLANS FOR SANITARY LANDFILLS AND PROVIDES AUTHORITY TO THE DIRECTOR OF OHIO EPA TO ORDER AN OWNER OR OPERATOR OF A FACILITY TO IMPLEMENT AN EXPLOSIVE GAS MONITORING AND REPORTING PLAN	PERTAINS TO ALL SANITARY LANDFILLS EXCEPT FOR THOSE THAT DISPOSED OF NONPUTRESCIBLE WASTES.	LOCATION ACTION
3734.05	(D)(6)(c)	HAZARDOUS WASTE FACILITY ENVIRONMENTAL IMPACT	A HAZARDOUS WASTE FACILITY INSTALLATION AND OPERATION PERMIT SHALL NOT BE APPROVED UNLESS IT PROVES THAT THE FACILITY REPRESENTS THE MINIMUM ADVERSE ENVIRONMENTAL IMPACT, CONSIDERING THE STATE OF AVAILABLE TECHNOLOGY, THE NATURE AND ECONOMICS OF VARIOUS ALTERNATIVES AND OTHER PERTINENT CONSIDERATIONS.	PERTAINS TO ALL SITES AT WHICH HAZARDOUS WASTE HAS COME TO BE LOCATED AND/OR AT WHICH HAZARDOUS WASTE WILL BE TREATED, STORED OR DISPOSED OF. MAY FUNCTION AS SITING CRITERIA.	
3734.05	(D)6,d,g,h	HAZARDOUS WASTE SITING CRITERIA	(D),6,d. A HAZARDOUS WASTE FACILITY INSTALLATION AND OPERATION PERMIT SHALL NOT BE APPROVED UNLESS IT PROVES THAT THE FACILITY REPRESENTS THE MINIMUM RISK OF ALL OF THE FOLLOWING: (i) CONTAMINATION OF GROUND AND SURFACE WATERS (ii) FIRES OR EXPLOSIONS FROM TREATMENT, STORAGE OR DISPOSAL METHODS (iii) ACCIDENT DURING TRANSPORTATION (iv) IMPACT ON PUBLIC HEALTH AND SAFETY (v) AIR POLLUTION (vi) SOIL CONTAMINATION (D),6,g,h. PROHIBITS THE FOLLOWING LOCATIONS FOR TREATMENT, STORAGE AND DISPOSAL OF ACUTE HAZARDOUS WASTE: (i) WITHIN 2000 FEET OF ANY RESIDENCE, SCHOOL, HOSPITAL, JAIL OR PRISON; (ii) ANY NATURALLY OCCURRING WETLAND (iii) ANY FLOOD HAZARD AREA (iv) WITHIN ANY STATE PARK OR NATIONAL PARK OR RECREATION AREA	PERTAINS TO ALL SITES AT WHICH HAZARDOUS WASTE HAS COME TO BE LOCATED AND/OR AT WHICH HAZARDOUS WILL BE TREATED, STORED OR DISPOSED OF. MAY FUNCTION AS SITING CRITERIA.	ACTION LOCATION

SITE NAME

COUNTY NAME

REVISED CODE SECTION	PERTINENT PARAGRAPH	TITLE OR SUBJECT OF REGULATION	DESCRIPTION OF REGULATION	APPLICATION OF REGULATION	ARAR TYPE
3734.14.1		CONDITIONS FOR DISPOSAL OF ACUTE HAZARDOUS WASTE	PROHIBITS DISPOSAL OF ACUTE HAZARDOUS WASTE UNLESS IT: (1) CANNOT BE TREATED, RECYCLED OR DESTROYED; (2) HAS BEEN REDUCED TO ITS LOWEST LEVEL OF TOXICITY; AND (3) HAS BEEN COMPLETELY ENCAPSULATED OR PROTECTED TO PREVENT LEACHING.	PERTAINS TO ANY SITE WHERE ACUTE HAZARDOUS WASTE HAS COME TO BE LOCATED.	CHEMICAL ACTION
3767.13		PROHIBITION OF NUISANCES	PROHIBITS NOXIOUS EXHALATIONS OR SMELLS AND THE OBSTRUCTION OF WATERWAYS.	PERTAINS TO ANY SITE THAT MAY HAVE NOXIOUS SMELLS OR MAY OBSTRUCT WATERWAYS.	ACTION CHEMICAL
3767.14		PROHIBITION OF NUISANCES	PROHIBITION AGAINST THROWING REFUSE, OIL, OR FILTH INTO LAKES, STREAMS, OR DRAINS.	PERTAINS TO ALL SITES LOCATED ADJACENT TO LAKES, STREAMS, OR DRAINS.	ACTION CHEMICAL
6101.19		CONSERVANCY DISTRICTS	BOARD OF DIRECTORS OF A CONSERVANCY DISTRICT MAY MAKE AND ENFORCE RULES AND REGULATIONS PERTAINING TO CHANNELS, DITCHES, PIPES, SEWERS, ETC.	THIS STATUTE PERTAINS TO ANY SITE THAT MAY AFFECT A CONSTRUCTION WITHIN A CONSERVANCY DISTRICT.	ACTION
6111.04		ACTS OF POLLUTION PROHIBITED	POLLUTION OF WATERS OF THE STATE IS PROHIBITED.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED ON-SITE GROUND OR SURFACE WATER OR WILL HAVE A DISCHARGE TO ON-SITE SURFACE OR GROUND WATER.	ACTION
6111.04.2		RULES REQUIRING COMPLIANCE WITH NATIONAL EFFLUENT STDs	ESTABLISHES REGULATIONS REQUIRING COMPLIANCE WITH NATIONAL EFFLUENT STANDARDS.	PERTAINS TO ANY SITE WHICH WILL HAVE A POINT SOURCE DISCHARGE.	ACTION
6111.07	A.C	WATER POLLUTION CONTROL REQUIREMENTS - DUTY TO COMPLY	PROHIBITS FAILURE TO COMPLY WITH REQUIREMENTS OF SECTIONS 6111.01 TO 6111.08 OR ANY RULES, PERMIT OR ORDER ISSUED UNDER THOSE SECTIONS.	PERTAINS TO ANY SITE WHICH HAS CONTAMINATED GROUND WATER OR SURFACE WATER OR WILL HAVE A DISCHARGE TO ON-SITE SURFACE OR GROUND WATER.	ACTION